

RTV 108

SAFETY DATA SHEET

1. Identification

Product identifier: RTV 108

Other means of identification

Synonyms: ACETOXY SEALANT (translucent)

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: For industrial use only.

Manufacturer/Importer/Supplier/Distributor Information

Supplier's information : **Hexion Canada Inc.**
12621 156th Street NW
Edmonton AB T5V 1E1
Canada

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Daytona
703 South Street
New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com
Telephone : General information
+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction

Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: H361; Suspected of damaging fertility or the unborn child.
Precautionary Statements

RTV 108

- Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
- Response:** IF exposed or concerned: Get medical advice/attention.
- Storage:** Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 2.82 %
 Acute toxicity, inhalation, dust or mist 2.82 %

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Octamethylcyclotetrasiloxane	556-67-2	2.99%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

- General information:** No action shall be taken involving any personal risk or without suitable training.
- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention.
- Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
- Skin Contact:** Wash with soap and water.
- Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms/effects, acute and delayed

- Symptoms:** None known.
- Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

RTV 108

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of children. Keep container closed. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.

RTV 108

7. Handling and storage

Precautions for safe handling:	Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.
Conditions for safe storage, including any incompatibilities:	Keep container tightly closed in a cool, well-ventilated place.
Storage conditions:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls

Provide adequate general and local exhaust ventilation. Eye washes and showers for emergency use.

Individual protection measures, such as personal protective equipment

General information:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Eye/face protection:

Safety glasses with side shields

Skin Protection

Hand Protection:

Butyl rubber gloves are recommended.

Skin protection:

Wear suitable protective clothing and eye/face protection.

Respiratory Protection:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures:

Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state:

solid

Form:

Paste

Color:

Colorless

RTV 108

Odor:	Acetic acid.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	not applicable
Flash Point:	> 93.3 °C (estimated)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	ca. 1.06 g/cm ³
Relative density:	1.06
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	Toluene
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No decomposition if stored and applied as directed.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	Keep away from moisture.
Incompatible Materials:	Strong Acids, Strong Bases Water.
Hazardous Decomposition Products:	Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.

RTV 108

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): > 4,800 mg/kg

Dermal

Product: LD 50 (Rat, male and female): 2,400 mg/kg

Inhalation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane
LC50 (Rat): 12.1 mg/l
LC50 (Rat): 36 mg/l

Repeated dose toxicity

Product: NOAEL (Rat(male and female), Inhalation(vapour)): 150 mg/kg
NOAEL (Rabbit(male and female), Dermal): > 1 mg/kg

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane
OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rat): No skin irritation

Serious Eye Damage/Eye Irritation

Product: OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Not irritating

Respiratory or Skin Sensitization

Product: , OECD-Guideline 406 (Skin Sensitisation)negative

Carcinogenicity

Product: No data available.

RTV 108

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH Carcinogen List:

No carcinogenic components identified

ACGIH Carcinogens:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product:

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)): negative

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

No data available.

Other effects:

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no

RTV 108

toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study. Contains dibutyltin compound(s)
 - May impair fertility. May cause harm to unborn child.

Other effects of overexposure:

Acetic acid released during curing.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0.015 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: LC50 (Oncorhynchus mykiss, 14 d): 0.01 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0.015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: 3.7 % (29 d, OECD Test Guideline 310)

BOD/COD Ratio

Product: No data available.

RTV 108

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Pimephales promelas, Bioconcentration Factor (BCF): 12.40 May accumulate in soil and water systems.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxane No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

**Canada Federal Regulations
List of Toxic Substances (CEPA, Schedule 1)**

Chemical Identity
Octamethylcyclotetrasiloxane

Export Control List (CEPA 1999, Schedule 3)
Not Regulated

**National Pollutant Release Inventory (NPRI)
Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements**
NPRI PT5 Not Regulated

RTV 108

Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory (NPRI) (Parts 1-4)

NPRI Not Regulated

Greenhouse Gases

Not Regulated

Controlled Drugs and Substances Act

CA CDSI Not Regulated

CA CDSII Not Regulated

CA CDSIII Not Regulated

CA CDSIV Not Regulated

CA CDSV Not Regulated

CA CDSVII Not Regulated

CA CDSVIII Not Regulated

Precursor Control Regulations

Chemical Identity

Acetic Anhydride

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
New Zealand Inventory of Chemicals:	y (positive listing)	Remarks: None.

16. Other information, including date of preparation or last revision

Issue Date: 03/14/2017
Revision Date: No data available.

RTV 108

Version #: 1.3
Further Information: No data available.
Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.