

28146.7 PVC-TAP 18X27 WH

Device and installation marker, Length: 27 mm, Width: 18 mm, Colour: White

RAL: 9010

Business data

Article number	28146.7
Article name	PVC-TAP 18X27 WH
GTIN (EAN)	4044211214050
For manufacturer type	Telemecanique (ZBZ-33, ZBZ-35), Eaton, GST-H 27x18
Packaging unit	500
Quantity unit	PC
Number of markers per card	20 ST
Weight per piece (not including packaging)	0.62 g
Weight per piece (including packaging)	0.62 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28146.8
Product description	Device and installation marker

28146.7 PVC-TAP 18X27 WH

Technical data

Dimensions

Length	27 mm
--------	-------

Width	18 mm
-------	-------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Software code	178
---------------	-----

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2022-01-07, 2022-06-10
----------------------	------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST