# Protect It! 230V Surge Protector with 8 French/Belgian Outlets, French Plug, 2280 Joules, Tel/Coax Protection

MODEL NUMBER: **TLP82NSATF**



### Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 2280 joule rating

### Package Includes

- TLP82NSATF surge suppressor
- 1.8 aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information

## Description

Tripp Lite's Protect It!™ TLP82NSATF offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82NSATF offers 8 French Type E outets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

## Features

- Protect It!™ TLP82NSATF offers economical AC surge supression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 French Type E outlets protects computers and peripherals
- 2 m cord with French plug
- Lighted ON/OFF switch with circuit breaker
- Protected/Grounded LED's
- Network Protection
- Coax Protection
- Aerial Adapters
- Internal safety covers protect against accidental contact with unused outlets

## Specifications

| OVERVIEW | |
|---|---|
| UPC Code | 037332145406 |

| INPUT | |
|---|---|

| | |
|---|---|
| Nominal Input Voltage(s) Supported | 230V AC |
| Recommended Electrical Service | 230V (220-250V) |
| Maximum Input Amps | 10 |
| Voltage Compatibility (VAC) | 220-250 |
| Input Plug Type | French |
| Input Cord Length (ft.) | 6 |
| Right-Angle Plug | Yes |
| Input Cord Length (m) | 1.83 |
| Integrated Cord Clip | No |

**OUTPUT**

| | |
|---|---|
| Output (Watts) | 2500 |
| Output Receptacles | (8) French/Belgian |
| Circuit Breaker (amps) | 10 |
| Transformer Accommodation | (5) Yes |

**USER INTERFACE, ALERTS & CONTROLS**

| | |
|---|---|
| Diagnostic LED(s) | Yes |
| Diagnostic LED Details | Protected and Grounded |

**SURGE / NOISE SUPPRESSION**

| | |
|---|---|
| AC Suppression Joule Rating | 2280 |
| Automatic Shut-Off | No |

**DATALINE SURGE SUPPRESSION**

| | |
|---|---|
| Cable (Coax) Protection | Yes |
| Cable (Coax) Protection Details | 1 line |
| Network (Ethernet) Protection | Yes |
| Network (Ethernet) Protection Details | 1 line |
| Telephone/DSL Protection | Yes |

**PHYSICAL**

| | |
|---|---|
| Color | Black |
| Power Cord Color | Black |
| Housing Color | Black |
| Mounting Holes or Slots | No |
| Receptacle Color | Black |

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

3 / 3

| Shipping Dimensions (hwd / cm) | 37.59 x 19.05 x 5.72 |
| Shipping Dimensions (hwd / in.) | 14.80 x 7.50 x 2.25 |
| Shipping Weight (kg) | 1.04 |
| Shipping Weight (lbs.) | 2.30 |
| Unit Dimensions (hwd / in.) | 12.44 x 4.61 x 1.93 |
| Unit Dimensions (hwd / cm) | 31.60 x 11.71 x 4.90 |
| Unit Weight (lbs.) | 2.3 |
| Unit Weight (kg) | 1.04 |

**FEATURES & SPECIFICATIONS**

| Antimicrobial | No |
| Rotatable Outlets | No |

**WARRANTY**

| Product Warranty Period (Worldwide) | Lifetime limited warranty |