


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
EDAC INC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W2W2-324-2NA		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W2W	2-324-2NA	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

47.0/

23.53

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

DRAWING NUMBER:


PART NUMBER:


16.5

5W5 Female	81	W8 Female	
÷	47.05 23.83 14.45 14.45 98 98 98 98 98 98 98 98 98 98	53.50 31.75 22.83 22.97 0 0 0 0 0 0 0 0 0 0 0 0 0	17W2 Male/Female
		d •	17W2 Male/Female
	CURRENT RATING / 0 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ΦA 	
		COMBI	NATION D-SUB
177 3 1	THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAG TORONTO, YOUR CONNECTION TO QUALITY &	ONTARIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUIFACTURE OR SALE OF APPARATUS



nale






628W2W2-324-2NA


628W2W2-324-2NA

ISSUE


1







11W1 Male/Female













THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male



47.00


23.53







36W4 Female




13W3 Male


3

3










13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female





17W5 Male


COMPLIANT











	SW REFERENCE NO.: 628				COMBO ASSEMBLY	
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628W2W2-324-2NA		ISSUE	
			PART NUMBER: 628W2W	2-324-2NA	1	