

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)







.X ±0.25 .XX ±0.13

.XXX ±0.05


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, TIN PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm


			SW REFERENCE NO.: 630 COMBO ASSEMBLY					
-		DRAWN: C.B	DATE: JAN. 01/2019					
		CHECKED:	DATE:					
EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4				
		DRAWING NUMBER: 630-11W1250-1T6		ISSUE				
		PART NUMBER: 630-11W	1250-1T6	1				





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

ORIGINAL





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



**ISSUE NUMBER** ORIGINAL

(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





5W5 Male



PCB EDGE

8W8 Male





PCB EDGE



PCB EDGE

5W5 Female



8W8 Female


CURRENT RATING / ØA


10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





17W2 Male/Female





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.




PCB EDGE

11W1 Male/Female

## 27W2 Male/Female

21W4 Male/Female





21W1 Male/Female

COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY						
		DRAWN: C.B			DATE: JAN. 01/2019			
		CHECKED:		DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE:	N.T.S		SHEET	3	OF	4
TORONTO, ONTARIO CANADA		DRAWING	ONUMBER:	630-11W	-11W1250-1T6 IS			ISSUE
ECTION TO QUALITY & SERVICE	O QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		PART NUMBER: 630-11W1250-1T6				1	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





2.77

24.77

PCB EDGE

PCB EDGE

31.75

36W4 Female



13W6 Male





30.50

2.77

22.16

20.7

20.7

13.72

PC8 EDGE

13W6 Female

13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

## 43W2 Female



17W5 Male


COMPLIANT







COMBINATION D-SUB









	SW REFERENCE NO.: 630 C	OMBO ASSEMBLY
	DRAWN: C.B	DATE: JAN. 01/2019
	CHECKED:	DATE:
TIONS .AND	SCALE: N.T.S	SHEET 4 OF 4
OPIED	DRAWING NUMBER: 630-11W	1250-1T6 ISSUE
RATUS	PART NUMBER: 630-11W <sup>2</sup>	1250-1T6 <sup>1</sup>

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ARE THE PROPERTY OF EDAC INC.,A SHALL NOT BE REPRODUCED, OR CO OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARA YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.

THESE DRAWINGS AND SPECIFICAT