
## **Mounting Option**

08-#4-40 Unified Threaded Inserts


## **Contact Detail**

541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.750(19.05) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing



(1)

-4.748[120.60]-4.498 114.25 4.225[107.32] 4.064 [103.23] -10-10-10-6  $(\bigcirc$ ┶┲╍┲┲┲┲┲┲┲┲┲┲┲┲┲┲ Card Slot Accepts .054 [1.37] to .070 (1.78) Thick P.C. Board 0.370[9.40] - 0.350[8.89] .160 [4.06] Point of Contact-EDRG 833 Series High Temp Card Edge Connector Part Number: 833-025-541-108 See Accompanying Page for: Bend Detail EDAC INC



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

TORONTO, ONTARIO

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO.	833 ENG MASTER	
	DRAWN: J.LEE	DATE: OC	CT. 14/09
	CHECKED:	DATE:	
	SCALE: NTS	SHEET 1	OF 3
	DRAWING NUMBER		ISSUE
	833 Assembly		1

SECTION A-A

0.388[9.86]

Card Slot



