






PRODUCT NUMBER	LEAD FREE P/N
58358-YYY	58358-YYLFF



SCALE 4:1



SCALE 2:1



NOTES :

- FOR DIM A & DIM B, SEE SHEET 2 AND UP.
- BODY MATERIAL : LIQUID CRYSTAL POLYMER 30% GLASS.  
FLAME RETARDANT ACC. UL-94-V0.
- PIN MATERIAL : PHOSPHORE BRONZE.
- PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING :  
FCI PART NUMBER & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE : XXXXX-XXXP.

GENERAL CHARACTERISTICS AND RoHS INFORMATIONS:  
SEE DRAWING C-8626-000P


PLATING IN CONTACT AREA	
DASH NUMBER	PERFORMANCE LEVEL
-1YY	TELCORDIA CO
-3YY	IEC CLASS I
-1YYLFF	TELCORDIA CO IEC CLASS I
-7YY(LFF)	ERICSSON SPECIAL

www.fciconnect.com				surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm	
				TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	S.PERRICHOT	2002/12/11	ANGULAR	0.X	±0.3	size	Scale
Eng	PH.LEGARE	2002/12/11	LINEAR	0.XX	±0.1	A3	1:1
Chr	PH.LEGARE	2002/12/11	0° ±2°	0.XXX	±0.05	ECN	LS06-0084
Appr	PH.LEGARE	2002/12/11	Product family		Spec ref		-
rev	ecn no	dr	date	FCI			
H	LS06-0048	LGO	2006/03/28	METRAL POWER STRAIGHT HEAD			
J	LS06-0084	LGO	2006/06/30	4 ROW 1 MOD NARROW BODY PRESS-FIT			
-	-	-	-	catalog no			
D	LS3060	SBA	2003/06/25	SEE NOTES			
E	LS05-0037	JTA	2005/03/25	CUSTOMER			
F	LS05-0051	JTA	2005/06/10	sheet 1 of 3			
G	LS05-0056	LGO	2005/06/17				

REV F - 2006-04-17



Copyright FCI.



SCALE 3:1

REQUIRED PCB LAYOUT  
 COMPONENT SIDE  
 SEE PRINT 58351 FOR  
 ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM A "MATE"	DIM B "TAIL"
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30

www.fciconnect.com			surface ISO 1302	<input checked="" type="checkbox"/>	tolerance std ISO 406 ISO 1101	projection 	mm 
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	S.PERRICHOT	2002/12/11	ANGULAR	LINEAR	0.X	±0.3	size A3
Eng	PH.LEGARE	2002/12/11	0°	±2°	0.XX	±0.1	Scale 1:1
Chr	PH.LEGARE	2002/12/11			0.XXX	±0.05	ECN LS06-0084
Appr	PH.LEGARE	2002/12/11	Product family			Spec ref -	
			METRAL POWER STRAIGHT HEAD			58358C	
			4 ROW 1 MOD NARROW BODY PRESS-FIT			Rev. J	
catalog no			SEE NOTES		CUSTOMER		sheet 2 of 3

REV F - 2006-04-17



Copyright FCI.

METRAL P/N	ERICSSON P/N	ROW	CONTACT CODE	
			1	2
58358-X01 OR 58358-X01LF		D	P01	P01
		C	P01	P01
		B	P03	P03
		A	P01	P01

METRAL P/N	ERICSSON P/N	ROW	CONTACT CODE	
			1	2
58358-X02 OR 58358-X02LF		D	P01	P01
		C	P02	P02
		B	P03	P03
		A	P03	P03

METRAL P/N	ERICSSON P/N	ROW	CONTACT CODE	
			1	2
58358-X03 OR 58358-X03LF		D	P01	P01
		C	P01	P01
		B	P01	P01
		A	P01	P01



Copyright FCJ.

www.fciconnect.com			surface ISO 1302 <input checked="" type="checkbox"/>	tolerance std ISO 406 ISO 1101	projection 	mm 
			TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	S.PERRICHOT	2002/12/11	ANGULAR	0.X	±0.3	size A3
Eng	PH.LEGARE	2002/12/11	LINEAR	0.XX	±0.1	Scale 1:1
Chr	PH.LEGARE	2002/12/11	0° ±2°	0.XXX	±0.05	ECN LS06-0084
Appr	PH.LEGARE	2002/12/11	Product family			Spec ref -
			METRAL POWER STRAIGHT HEAD		58358C	Rev. J
			4 ROW 1 MOD NARROW BODY PRESS-FIT			
catalog no			SEE NOTES		CUSTOMER	sheet 3 of 3

REV F - 2006-04-17