



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





μų aaalaa

NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 C	B COMBO ASSEMBLY DATE: JAN. 01/2019 DATE:		
	COMBINATION	I D-SUB	DRAWN: C.B DATE: JAN. C		/2019	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	D-SUB DRAWN: C.B DATE: JAN. 0 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS SCALE: (IN C.A.D. 1:1) SHEET 1	4622-5NA	ISSUE		
YO	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-36W	4622-5NA	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

5W5 Male

5W5 Female

47.0

47.00

23.53

CURRENT RATING / ØA 10A / 2.2

23.53

3W3 / 3WK3

5W1 Male/Female





 $\overline{(1)}$

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female




20A / 3.3 30A / 3.7 40A / 4.2	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	


	<u></u>		442	<u> </u>		
		SW REFERENCE NO .:	628 C	OMBO ASSEMB	LY	
COMBINATION	D-SUB	DRAWN: C.B		DATE: JAN. ()1/20	19
		CHECKED:		DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 3	OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	628-36W4	4622-5NA		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-36W4	4622-5NA		1

8W8 Male







11W1 Male/Female




17W2 Male/Female









7W2 Male/Female



 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female



13W3 Male


3



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female




17W5 Male






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
Y CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
NION DIRECTIVES DHS COMPLIANCY.	TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-36W4622-5NA		ISSUE
SHO CONT LIANCT.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-36	V4622-5NA	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.