

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25


.XX ±0.13 .XXX ±0.05




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	COMBINATION	COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR WAUFACTURE OR SALE OF APPARATUS SCALE: (IN C.A.D. 1:1) SHEET 1 OF 4 DRAWING NUMBER: 628W5W1-224-4N5 ISSUE DRAWING NUMBER: 628W5W1-224-4N5 ISSUE					
		CHECKED:	DATE:				
			SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	TORONTO, ONTARIO	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628W5W1-224-4N5		ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W5W	1-224-4N5	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





 $\overline{(1)}$

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION D-SUB		DRAWN: C.B		DATE: JAN.	01/20)19	
		CHECKED:		DATE:			
	EDAC INC ARE TH TORONTO, ONTARIO SHALL	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET 3	OF	4
			DRAWING NUMBER:	628W5W	1-224-4N5		ISSUE
TION TO QUALIT	QUALITY & SERVICE		PART NUMBER:	628W5W	1-224-4N5		1

5W5 Male

5W5 Female

COMPLIANT



47.05

23.53


8W8 Male


8W8 Female

31.76


22.83

YOUR CONNECT





11W1 Male/Female



17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male









30.50 16.62 15.72 15.24 15.72 15.24 20.70 15.62 15.72 15.24 20.70 15.62 15.72 15.24 20.70 15.24 20.70 15.72 15.24 15.72 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.72 15.24 15.72 15

13W6 Male



43W2 Male






 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628W5W1-224-4N5		ISSUE	
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628W5W	1-224-4N5	1	