

# Cable connector - RC-1RP1NRA80EP - 1603101

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable connector, RC, straight, shielded: yes, Screw locking, M23, No. of pos.: 16+2+PE, type of contact: Pin, Crimp connection, cable diameter range: 3 mm ... 10.5 mm, coding:N

The figure shows the 12-pos. product version



## Key Commercial Data

Packing unit	20 pc
GTIN	
GTIN	4046356243469


## Technical data

### Environmental Product Compliance


China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Schematic diagram



Dimensional drawing



# Cable connector - RC-1RP1NRA80EP - 1603101

## Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27440102
eCl@ss 9.0	27440103

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC001121
ETIM 6.0	EC002061

### UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	39121413
UNSPSC 19.0	39121413

## Accessories

### Accessories

#### Crimp contact

Crimp contact - RC-6LP2000 - 1603819



Crimp contact, turned, contact diameter: 1 mm, crimp range: 0.25 mm<sup>2</sup> ... 0.5 mm<sup>2</sup>

Crimp contact - RC-6EP2000 - 1603802



Crimp contact, turned, contact diameter: 1.5 mm, crimp range: 0.75 mm<sup>2</sup> ... 1 mm<sup>2</sup>

## Cable connector - RC-1RP1NRA80EP - 1603101

### Accessories

Crimp contact - RC-6FP2000 - 1603808

Crimp contact, turned, contact diameter: 1.5 mm, crimp range: 0.75 mm<sup>2</sup> ... 1 mm<sup>2</sup>



---

Phoenix Contact 2021 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>