


## Data sheet | Item number: 706-3057/203-200

System cable; for Schneider TSX; 8 digital outputs for higher voltages, var. 1;  
Length: 2 m; Conductor cross-section: 0.34 mm<sup>2</sup>



[www.wago.com/706-3057/203-200](http://www.wago.com/706-3057/203-200)



Color coding acc. to DIN VDE 47100	Connector WAGO 231 (JA)	PLC connector			
		Pin number	Wiring	Pin number	Signal
White		1	OUT0.0	1	0
Brown		2	OUT0.1	3	1
Green		3	OUT0.2	5	2
Yellow		4	OUT0.3	7	3
Grey		5	OUT0.4	9	4
Pink		6	OUT0.5	11	5
Blue		7	OUT0.6	13	6
Red		8	OUT0.7	15	7
Black		9	L/+	16	Alim+
Violet		10	N/-	17	Alim-
Grey-Pink		11	nc	nc	nc
Red-Blue		12	nc	nc	nc

## Data Notes

### Note

If less than 3 channels are used simultaneously, the maximum current per conductor is 2 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L. If more than 3 channels are used simultaneously, the maximum current per conductor is 0.75 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L.

## Electrical data

Inputs/outputs	8 digital outputs; for higher voltages
Operating voltage	≤ AC/DC 250 V
Current per wire (max.)	0.75 A

## Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Schneider

Schneider TSX	TSX DSY 08T22 TSX DSY 08T31
---------------	--------------------------------

## Connection data

Cable type	LiYY
Color code	per DIN VDE 47100

## Connection 1

Connector	WAGO 231 Series
Pole number 1	10
Connection type 1	System
Wire cross-section	0.34 mm <sup>2</sup>

## Connection 2

Connector 2	Schneider TSXBLY01
Pole number 2	20
Connection type 2	System

## Physical data

Cable length	2 m
--------------	-----

## Material Data

Weight	446 g
--------	-------

## Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

## Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143980791

Subject to changes. Please also observe the further product documentation!



---

Customs tariff number

85444290900

---

## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

---

## Downloads

### Documentation

#### System Description

WAGO System Wiring, Selection Guide

pdf

Download

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

---

545.9 kB

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 706-3057/203-200

URL

Download

System cable; for Schneider TSX; 8 digital outputs for higher voltages, var. 1; Length: 2 m; Conductor cross-section: 0.34 mm<sup>2</sup>

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.