

Protect It! 230V Surge Protector with 8 Schuko Type F Outlets, German Plug, 2280 Joules

MODEL NUMBER: TLP82D



Highlights

- 8 safety outlets
- 2 m power cord with German plug
- 2280 joule rating

Package Includes

- TLP82D surge suppressor
- Instruction manual and warranty information

Description

Tripp Lite's Protect It!TM TLP82D offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP825D offers 8 Schuku Type F outlets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP82D offers economical AC surge suppression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 Schucko outlets protect computers and peripherals
- 2 m Cord with German plug
- Protected/Grounded LED's
- Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW		
UPC Code	037332145437	
OUTPUT		
Frequency Compatibility	50 / 60 Hz	
Output Receptacles	(8) Schuko Type F	
Circuit Breaker (amps)	10	
Transformer Accommodation	(5) Yes	



Newsited January Voltage (a) Compared a	2201.40	
Nominal Input Voltage(s) Supported	230V AC	
Recommended Electrical Service	230V (220-250V)	
Voltage Compatibility (VAC)	220-250	
Input Plug Type	German	
Input Cord Length (ft.)	6	
Right-Angle Plug	Yes	
Input Cord Length (m)	1.83	
Integrated Cord Clip	No	
USER INTERFACE, ALERTS & CON	TROLS	
Diagnostic LED(s)	Yes	
Diagnostic LED Details	Grounded/Protected	
SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	2280	
Auto Shut-Off	No	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection	No	
Cable (Coax) Protection	No	
Network (Ethernet) Protection	No	
PHYSICAL		
Shipping Dimensions (hwd / in.)	15.80 x 2.25 x 7.60	
Shipping Dimensions (hwd / cm)	40.13 x 5.72 x 19.30	
Shipping Weight (lbs.)	2.10	
Shipping Weight (kg)	0.95	
Unit Dimensions (hwd / in.)	12.07 x 4.61 x 1.93	
Unit Dimensions (hwd / cm)	30.66 x 11.71 x 4.90	
Unit Weight (lbs.)	1.50	
Unit Weight (kg)	0.68	
Integrated Keyhole Mounting Slots	No	
Housing Color	Black	
Receptacle Color	Black	
Color (AC Line Cord)	Black	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Color	Black	
Anti-Microbial Protected	No	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies