


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

ORIGINAL

(1)





NOTES:

.X ±0.25

.XX ±0.13 .XXX ±0.05

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	9
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W2WK2324-1N2		ISSUE
			PART NUMBER: 628W2W	<2324-1N2	1




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2


5W5 Female

COMPLIANT

3W3 / 3WK3

5W1 Male/Female






21W4 Male/Female




27W2 Male/Female




21W1 Male/Female





	17W2	Male/Fema
CURRENT RATING / $\phi$ A		
10A / 2.2		+
20A / 3.3		23.63
30A / 3.7	a a a a a a a a a a a a a a a a a a a	
40A / 4.2		<del>⊢⊕_</del> ⊕, _
	COMBINATION	D-SUB
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWI ARE THE PROI SHALL NOT BE OR USED AS T MANUFACTUR WITHOUT WRI






8W8 Male





11W1 Male/Female




male


8.5


7W2 Male/Female	











WINGS AND SPECIFICATIONS SCA ROPERTY OF EDAC INC.,AND BE REPRODUCED,OR COPIED DRA AS THE BASIS FOR THE FURE OR SALE OF APPARATUS PAF VRITTEN PERMISSION.

/ REFERENCE NO.: 628 COMBO ASSEMBLY			
AWN: C.B	DATE: JAN. 01/20	19	
IECKED:	DATE:		
CALE: N.T.S	SHEET 3 OF	4	
RAWING NUMBER: 628W2WK2324-1N2		ISSUE	
RT NUMBER: 628W2WI	K2324-1N2	1	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00


23.53







36W4 Female




13W3 Male


3

3












13W6 Male




43W2 Male






43W2 Female

47W1 Female




17W5 Male


COMPLIANT











	SW REFERENC			SW REFERENCE NO.: 628 COMBO ASSEMBLY	
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628W2WK2324-1N2		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W2W	K2324-1N2	1





17W5 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

