


## 1 - 1374612 - 0 Product Details

**Live Product Chat** US Only  
8:30am - 5pm ET, Mon - Fri



**1 - 1374612 - 0**

TE Part Number: 1 - 1374612 - 0

Active

Add to Part List

### Fiber Optic Cable Assemblies

Not EU RoHS or ELV Compliant ( Find RoHS Compliant Alternates )

#### Product Highlights:

- ? Cable Assembly
- ? Fiber Type = 50/125
- ? Cable Assembly Type = SC to LC
- ? LC Connector, SC Connector
- ? Multimode

View all Features | Find Similar Products

#### Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

### Documentation & Additional Information

#### Product Drawings:

- ? [CABLE ASSY, FIBER OPTIC, 1.6mm MULTIMODE, 50/125 LDS...](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- ? None Available

#### Product Specifications:

- ? None Available

#### Application Specifications:

- ? None Available

#### Instruction Sheets:

- ? None Available

#### CAD Files:

- ? None Available

#### Additional Information:

- ? [Product Line Information](#)

#### Related Products:

- ? [Tooling](#)

[List all Documents](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- ? Product Type = Cable Assembly
- ? Cable Assembly Type = SC to LC
- ? [Connector](#) = LC, SC
- ? Comment = 1.6 mm jacket

#### Mechanical Attachment:

- ? AMP Logo = Without

#### Termination Related Features:

- ? [Mode](#) = Multimode
- ? Insertion Loss (dB) = 0.10

#### Body Related Features:

- ? [Fiber Type](#) = 50/125
- ? Cable Diameter (mm [in]) = 1.60 [.063]
- ? Number of Fibers = 1
- ? Flammability Rating = Low Smoke (PVDF)
- ? Cable Color = White
- ? Length (M [ft]) = 10.00 [32.808]
- ? Connector Color = Beige
- ? Ferrule Material = Ceramic

#### Contact Related Features:

- ? Boot Body Style - Left = Standard
- ? Boot Color - Left = White
- ? Boot Body Style - Right = Standard
- ? Boot Color - Right = White
- ? Fibre Channel = No

#### Configuration Related Features:

- ? Cable Type = Buffered Fiber
- ? [Cable Buffering](#) = Tight
- ? Connector(s) Exit Angle to Connector(s) Exit Angle = 180° to 180°

#### Industry Standards:

- ? [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process

#### Other:

- ? Brand = AMP