IPC ASSOCIATION CONNECTIN	Material Compos © Copyright 2005. IPC international and Pan-	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowel parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						rials and M	ials and Mfg Information				
Supplier Inforn	nation																
Company name*				Company unique ID			Unique ID Authority					Respons	Response Date*				
nsemi													2023-06-08				
Contact Name			Title - Contact]	Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewa	ards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com						
uthorized Represe	entative*	Title - Representative]	Phone - Representative*				Email - Representative*							
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Request	r Item Number Mfr Iter		tem Number Mfr Item Name				Effective Da	ate V	Version	Manufacturing Site		,	Weight*		UOM	Unit Type	
		NOIV1SN2000A- ODC		VITA2000 V1 MONO ML LLC52		C52	2023-06-08			TH	ТНА		858.3	1	mg	Each	
Janufacturing	Process Information	on						·									
Terminal	Plating / Grid Array Material		Terminal Base Alloy J		J-STD-020 M	D-020 MSL Rating		Peak Process Body Temperatu		rature	ure Max Time at Peak Temper		ature Number of Reflow Cycles		les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 3		3		260		С		30 seco		ds 3	3			
Comments																	
ATTENTION: MS	L 3 Rated item requires	Bake and I	Ory Pack (afte	r electrical test)													
or more informati	on regarding material co	mposition	please refer to	page 3													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	1219.8	mg	Supplier	Cobalt (Co)	7440-48-4		5.1232	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		11.8321	mg
			Supplier	Tungsten (W)	7440-33-7		32.8126	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		13.0519	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		41.3512	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		1065.4954	mg
			В	Nickel (Ni)	7440-02-0		2.9275	mg
			Supplier	Gold (Au)	7440-57-5		1.0978	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		46.1084	mg
Die	184.62	mg	Supplier	Silicon (Si)	7440-21-3		184.62	mg
Die Attach	1.29	mg	Supplier	Silver (Ag)	7440-22-4		1.0965	mg
			Supplier	Epoxy resins	129915-35-1		0.1935	mg
Glass Attach Epoxy	4.7	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.9519	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.7426	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		1.8537	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1264	mg
			Supplier	Additive	1760-24-3, 2530- 83-8		0.0254	mg
Glass Lid /Cap	447.3	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		37.5732	mg
-			Supplier	Silica Amorphous (SiO2)	7631-86-9		268.0222	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		35.4262	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		35.4262	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		70.8523	mg
Wire Bond - Al	0.6	mg	Supplier	Aluminum (Al)	7429-90-5		0.6	mg