**Contact Detail Mounting Option** Wire Hole .089x.014(2.29x0.36) - Tail LG=.213(5.41) .344 (8.74) Offset Card Guides .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing **—**0.156[3.96] <u>0.500[12.70]</u> - 5.000 [127.00] · -5.146[130.71]--5.432[137.97]--5.916[150.27] 

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ORIGINAL

**SECTION A-A** 

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

ACAD REFERENCE NO.

J.LEE

DRAWN:

CHECKED:

307 / 357 Card Edge Connector Part Number: 357-031-401-168

-5.742[145.85]

YOUR CONNECTION TO QUALITY & SERVICE

**EDAC INC** TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

SCALE: SHEET 1 OF 3 DRAWING NUMBER **ISSUE** 307 Assembly

307 ENG MASTER

DATE: AUG. 11/09

DATE:

**See Accompanying Pages for:** 

- **Contact Bend Details**
- **Mounting Options**

0.473[12.01]



