



Item description

Features:

- 7/8" screw connection: Industry-proven connection technology for a large selection of different conductors
- High protection class for safe field applications
- Vibration- and shock-resistant via integrated locking mechanism
- PUR coating

Data

Technical data

Operating Data

Operating voltage	AC/DC 600 V
Operating current	9 A

Safety and protection

Rated surge voltage	4 kV
Protection type	IP67

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

Connection technology	7/8"; 3-pole; angled socket
-----------------------	-----------------------------

Material Data

Weight	49.3 g
--------	--------

Environmental requirements

Ambient temperature (operation)	-25 ... +80 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC002635
ETIM 7.0	EC002635
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143726924
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads Documentation

Bid Text

787-6716/9400-000 docx - Datei	2019 Jun 12	docx 17.1 kB	Download
787-6716/9400-0000 pdf - Datei	2019 Jun 12	pdf 66.8 kB	Download
787-6716/9400-0000 docx - Datei	2019 Jun 12	docx 17.0 kB	Download
787-6716/9400-0000 doc - Datei	2019 Jun 12	doc 30.2 kB	Download
787-6716/9400-000	2019 Jun 12	pdf	Download

Subject to changes. Please also observe the further product documentation!



pdf - Datei			66.7 kB	
787-6716/9400-0000	2019 Feb 19	xml	3.5 kB	Download
X81 - Datei				

Additional Information

Disposal and Recycling	V 1.1.0	pdf		Download
Electrical and electronic equipment, Batteries, Packaging	2022 Aug 18	2.2 MB		

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 787-6716/9400-000		URL		Download
Pluggable connector, 7/8 inch; 7/8 inch; 3-pole; Socket, angled				

Installation Notes

Subject to changes. Please also observe the further product documentation!