## **HellermannTyton**

## **Specification Sheet**

Part Number: ETCW660



Heavy duty PVC tape is ideal for cold weather installations and is "weather resistant" for outdoor applications.

Meets Mil-Std. MIL-1-24391-A.

Electrical Tape, 0.75" x 66' Roll, 8.0 mil Thick, PVC, Black, 10 rolls/pkg

Article Number 904-00010

Type ETCW66

Color Black (BK)

Quantity Per reel

Product Description Heavy duty vinyl tapes are ideal for outdoor applications. Tape provides

fast, easy and economical cable splicing, terminating, wire insulating, and more. These comformable high quality tapes have exceptional surface and adhesive characteristics. Tape is applied by overlapping each layer 50% and using tension. After the tape is adhered, the memory of the tape returns, tightening the seal and making the taped

area even more waterproof.

Short Description Electrical Tape, 0.75" x 66' Roll, 8.0 mil Thick, PVC, Black, 10 rolls/pkg

OL-11	D	N.I
Global	Part	ivame

ETCW66-PVC-BK

Minimum Tensile Strength (Imperial)

20.0

Length L (Imperial)

66.0

Length L (Metric)

20.12

Width W (Imperial)

0.75

Width W (Metric)

19.05

Thickness T (Imperial)

8.0

Material

Flexible Polyvinyl Chloride (PVC)

**Material Shortcut** 

PVC

**US MIL SPEC** 

MIL-1-24391-A

UV Resistant (Yes/No)

No

**Operating Temperature** 

-0.4°F to +194°F (-18°C to +90°C)

Reach Compliant (Article 33)

No

Certification/Specification

MIL-1-24391-A

UL Listed (US)

Yes

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number 3919102020

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions