

6

5



4

3


2

1

MATERIAL NUMBER	ENGINEERING NUMBER	LENGTH
130039-0236	DNDC304-M050	5.0M +165.1mm -0 [16.4FT +6.50IN -0]



- NOTES:
- 1) MATERIALS: SEE TABLE
  - 2) FINISHES: SEE TABLE
  - 3) ELECTRICAL DATA:  
MAX. VOLTAGE: 250 VAC  
MAX. CURRENT: 4 AMPS
  - 4) ENVIRONMENTAL:  
PROTECTION IP20  
TEMPERATURE RANGE: -20°C TO 80°C
  - 5) CERTIFICATIONS:  
cCSAus FILE: LR6837
  - 6) ASSEMBLY IS RoHS COMPLIANT.



ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
9	1	LABEL	PLASTIC FILM	YELLOW
8	1	PANEL NUT	BRASS	NICKEL PLATED
7	1	PANEL O-RING	NITRILE	BLACK
6	1	MALE RECEPTACLE SHELL	BRASS	NICKEL PLATING
5	1	MALE INSERT	NYLON	BLACK
4	5	PIN CONTACT	COPPER ALLOY	GOLD PLATING
3	1	D-NET OPEN CONNECTOR	POLYAMIDE	GRAY
2	5	SOCKET CONTACT	COPPER ALLOY	GOLD PLATING
1	1	#22/4 CABLE + DRAIN	PVC JACKET	GRAY

RELEASE SALES DRAWING  
EC NO: WNA2010-0437  
DRWN: LHARTMAN 2010/01/22  
CHKD: BWOODMAN  
APPR: JFMURPHY 2010/01/23

QUALITY SYMBOLS  
▽=0  
∇=0

DESCRIPTION  
REV  
A

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±0.13	±.010
1 PLACE	±0.25	±.020

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION STYLE  
IN/MM

SCALE  
1:1

DESIGN UNITS  
INCH

THIRD ANGLE PROJECTION

DRAWN BY DATE  
LHARTMAN 2010/01/22

CHECKED BY DATE  
BWOODMAN 2010/01/27

APPROVED BY DATE

MATERIAL NO.  
SEE TABLE

SIZE  
A

TITLE  
MIC CORDSET TO RCPT  
5P FE ST TO MA BPM  
#22/4 + DRAIN PVC CABLE

MOLEX INCORPORATED

DOCUMENT NO.  
SD-130039-029

SHEET NO.  
1 OF 1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

6

5

4

3

2

1