


## Data sheet | Item number: 210-871

Marking strips; for Smart Printer; permanent adhesive; 10 mm; silver-colored

[www.wago.com/210-871](http://www.wago.com/210-871)



### Data

#### Technical data

|                             |  |
|-----------------------------|--|
| Marking method              | Thermal transfer                         |
| Marking                     | plain                                    |
| Delivery form               | Roll                                     |
| Delivery form configuration | 20 m; 1 line                             |
| Printing device             | Smart Printer (Thermal Transfer Printer) |

#### Physical data

|             |        |
|-------------|--------|
| Width       | 10 mm  |
| Depth       | 0.2 mm |
| Strip width | 10 mm  |

#### Mechanical Data

|               |          |
|---------------|----------|
| Mounting type | Sticking |
|---------------|----------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Smear resistance

in conjunction with 258-5005 Ink Ribbon

## Material Data

|                      |                               |
|----------------------|-------------------------------|
| Color                | silver-colored                |
| Material             | Polyester                     |
| UV resistance        | EN 60068-2-5:2010 Procedure B |
| Adhesive information | Acrylic; permanent            |
| Halogen-free         | Yes                           |
| Weight               | 90.2 g                        |

## Environmental requirements

|                                 |                 |
|---------------------------------|-----------------|
| Ambient temperature (storage)   | +10 ... +21 °C  |
| Ambient temperature (operation) | -40 ... +150 °C |
| Relative humidity               | 40 ... 50 %     |

## Commercial data

|                       |               |
|-----------------------|---------------|
| eCl@ss 10.0           | 27-40-06-29   |
| eCl@ss 9.0            | 27-40-06-29   |
| ETIM 8.0              | EC001288      |
| ETIM 7.0              | EC001288      |
| PU (SPU)              | 1 pcs         |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4055143378888 |
| Customs tariff number | 39199080888   |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Optional accessories

### Marking accessories

|                 |  |
|-----------------|--|
| Marking devices |  |
|-----------------|--|



#### Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

[www.wago.com/258-5000](http://www.wago.com/258-5000)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Downloads

### Documentation

#### Operating Instructions

|   |             |        |          |
|---|-------------|--------|----------|
| 2009-110 Information on printing material | 1           | pdf    | Download |
|   | 2020 Aug 28 | 1.2 MB |          |

---

## Environmental Product Compliance

### Compliance Search

|  |     |          |
|--|-----|----------|
| Environmental Product Compliance 210-871                                     | URL | Download |
| Marking strips; for Smart Printer; permanent adhesive; 10 mm; silver-colored |     |          |

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!