




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
AD	00	F		REVISED PER ECO-15-008006	17NOV2015	NK	MM

 NUMBER OF POSITIONS PERTAINS TO ASSOCIATED COMPONENTS.



102792-8	15.49 [.610]	8	102991-2
102972-6	12.95 [.510]	6	102991-1
USE WITH PART NUMBER	A	NO OF POSN 	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. BRANDBERG 23MAR96	 TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J. HERRINGTON 23MAR96		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. TROUT 23MAR96	NAME SHELL, HEADER, AMPMODU, DOUBLE ROW, 2.54 [.100] CL, RIGHT ANGLE	
0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC -	SIZE A2	
MATERIAL COPPER ALLOY 0.51 [.020] THICK		FINISH 0.00076 [.000030] MIN PRE-TIN	APPLICATION SPEC -	CAGE CODE 00779
		WEIGHT -	DRAWING NO C=102991	RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 4:1	SHEET 1 OF 1
			REV F	