

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE:

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 627W2WK2624-2N2		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	K2624-2N2	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female




21W1 Male/Female

16.5

	11W	1 Male/Female
e 8W8 Fo	emale 51.75 72.83 72.87	33.30 18.85 9.70
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7	17W:	2 Male/Female
40A / 4.2	COMBINATION	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICAT ARE THE PROPERTY OF EDAC INC., SHALL NOT BE REPRODUCED.OR C OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPAR WITHOUT WRITTEN PERMISSION.







5W5 Female

COMPLIANT

23.53




47.0/




63.50

31.75



11W1 Male/Female

7W2 Male/Female





 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female





13W3 Male


3




36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female



17W5 Male


COMPLIANT






2.77







	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 627W2WK2624-2N2		ISSUE
			PART NUMBER: 627W2W	K2624-2N2	1