ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.												
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mate 					ials and Mfg Information							
Supplier Informat	tion																
Company name*			Company unique ID			1	Unique ID Authority					Respons	Response Date*				
nsemi										2023-06	2023-06-08						
Contact Name	Title - Contact]	Phone - Contact*					Email -	Email - Contact*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative]	Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester I	Requester Item Number Mfr Item Image: Minimum State Stat		1 Number Mfr Item Name 15DB Integrated PoE-PD Interface Controller IEEE 802.3bt, 90W				Effective Date Version Manufacturing Si 2023-06-08 BE4		turing Site	Weight* 57.52		t*	UOM	Unit Type			
						ntroller,							mg	Each			
Ianufacturing Pr	roccess Information	L															
Terminal Plating / Grid Array Material		al T	erminal Base A	minal Base Alloy J-STD-020 MS		L Rating	Peak Proc		cess Body Temperature Max Time at Peal		k Temperat	Temperature Number		of Reflow Cyc	les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 3		3		260		С	30	30		seconds 3				
omments																	
TTENTION: MSL 3	Rated item requires Ba	ke and D	ry Pack (after	electrical test)													
or more information	regarding material com	position	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.65	mg	Supplier	Silicon (Si)	7440-21-3		4.65	mg
Die Attach	2.99	mg	Supplier	Silver (Ag)	7440-22-4		2.2425	mg
			Supplier	Epoxy resins	129915-35-1		0.7475	mg
Lead Frame	19.55	mg	Supplier	Zinc (Zn)	7440-66-6		0.0195	mg
			Supplier	Iron (Fe)	7439-89-6		0.4496	mg
			Supplier	Copper (Cu)	7440-50-8		19.0612	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0195	mg
Mold Compound-Black	29.75	mg		Epoxy resin	proprietary data		2.2313	mg
			Supplier	Phenolic Resin	Proprietary Data		0.7438	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.2313	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1487	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		24.395	mg
Plating	0.15	mg	Supplier	Palladium (Pd)	7440-05-3		0.0114	mg
			В	Nickel (Ni)	7440-02-0		0.1365	mg
			Supplier	Gold (Au)	7440-57-5		0.0021	mg
Vire Bond - Au	0.43	mg	Supplier	Gold (Au)	7440-57-5		0.43	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).