ASSOCIATION CONNECTING ELECTRONICS (MOUSTRIES+) international and Pan-American co	ourn, Illinois. All rights reserved un	nder both This docum level parts, t	ent is a declar the declaration	ration of the substant n encompasses all 1	nces within the manufactur ower level materials for w	er listed item. hich the manu	Note: if the facturer has	item is an assem engineering resp	bly with lower onsibility.	
IPC Web Site for Information on I http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an				and Mfg Information		
Supplier Information										
Company name*		Unique ID Authority			Response Date*					
onsemi						2023-06-08				
Contact Name	Title - Contact			Phone - Contact*			Email - Contact*			
Product-Env-Stewards	wards Product Enviro Compliance		NA			Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Item	Number Mfr Item Name		Effective Da	te Version	Manufacturing Site	Weig	ght*	UOM	Unit Type	
NCV872 G	20BMT160TB 350mA Very Low Voltage Regulator,	Dropout Bias Rail CMOS , Vout= 1.60V	2023-06-08		MY1	9.5		mg	Each	
Manufacturing Proccess Information										
Terminal Plating / Grid Array Material T	Ferminal Base Alloy J-	-STD-020 MSL Rating	Peak Pr	ocess Body Tempe	rature Max Time at Peak	Temperature	Number of	f Reflow Cycles		
Matte Tin (Sn) - annealed CU Alloy 1			260	С	30	seconds	3			
Comments										
level 1 - maximum time at peak temperature during so	Idering is 10-30 seconds									
For more information regarding material composition	please refer to page 3									

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signa range of distribution diness otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.22	mg	Supplier	Silicon (Si)	7440-21-3		0.22	mg	
Die Attach	0.02	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0064	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0136	mg	
Lead Frame	4.16	mg	Supplier	Silver (Ag)	7440-22-4		0.0416	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0104	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0092	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0104	mg	
			Supplier	Copper (Cu)	7440-50-8		4.0884	mg	
Mold Compound-Black	4.85	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.388	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0242	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.097	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.1953	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1455	mg	
Plating	0.2	mg	Supplier	Tin (Sn)	7440-31-5		0.2	mg	
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).