

28192.6 PVC-VRT-R 42X78 GR

Device and installation marker, Length: 78 mm, Width: 42 mm, Colour: grey

RAL: Ähnlich 7035

Business data

Article number	<u>28192.6</u>
Article name	PVC-VRT-R 42X78 GR
GTIN (EAN)	4044211214784
Packaging unit	50
Quantity unit	PC
Number of markers per card	2 ST
Weight per piece (not including packaging)	6.16 g
Weight per piece (including packaging)	6.16 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28192.7
Product description	Device and installation marker

Technical data

Dimensions

Length	78 mm
Width	42 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0, V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C, 10 °C
Processing temperature, max.	40 °C, 40 °C
Silicone-free	✓ ✓

Further technical data

Mounting	Nicht selbstklebend
Software code	202

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

28192.6 PVC-VRT-R 42X78 GR

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST
