

TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13 .XXX ±0.05


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
				DATE: JAN. 01/20	19		
				DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628W7W	2-622-4N2	ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628W7W	2-622-4N2	1			





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPL

47.05

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

16.5

4 +	- 8-38 - I	-	ļ "7.64 .,↓	18-81		
					11W1	Male/Female
	8	W8 Fem	ale			33 30
	23.63 da sea asa	÷	63.50 − 22.83 − ⊕ ⊕ ⊕ − ⊕ ⊕		Second Second	
					17W2	Male/Female
	CURRENT RATING / 10A / 2.2	ØΑ				47.05
	20A / 3.3 30A / 3.7 40A / 4.2				2.04 2.04	
				CON	IBINATION	D-SUB
EUROPEA	ULLY CONFORMS TO N UNION DIRECTIVES R RoHS COMPLIANCY.		YOUR CONNEC	TOROI	EDAC INC NTO, ONTARIO CANADA 'Y & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

IS	THIS SERIES FULLY CO
וכר	THE EUROPEAN UNIO
IANT	2011/65/EU FOR RoHS


	ŧ	- 1-7	<u>h</u>	- D- 24
	+	+	₽	
				11-84
				• · · ·

7W2 Male/Female

هي

SW REFERENCE NO.: 628 C			
DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 3 OF	4	
DRAWING NUMBER: 628W7W2	2-622-4N2	ISSUE	
PART NUMBER: 628W7W2	2-622-4N2	1	





22.97

31.75

63.50

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 628 0	28 COMBO ASSEMBLY	
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628W7W2-622-4N2		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W7W	2-622-4N2	1