


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)







NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2622-5N2 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-17W2622-5N2






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



WITHOUT WRITTEN PERMISSION.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female







8W8 Female AX M 31.76 17W2 Male/Female 21W1 Male/Female CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2


47.07


23.53











11W1 Male/Female

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

23.53

	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION	COMBINATION D-SUB	DRAWN: C.B		DATE: JAN. 01/2019	
		CHECKED:		DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET 3 OF	4
TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE		628-17W2	2622-5N2	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-17W2	2622-5N2	1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male







43W2 Female




17W5 Male

COMPLIANT




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.









2.77

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION			DATE: JAN. 01/20	19		
			DATE:			
EDACINC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4		
		DRAWING NUMBER: 628-17W2622-5N2		ISSUE		
		PART NUMBER: 628-17W	2622-5N2	1		

17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



