



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

Å	









NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING






SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



				SW REFERENCE NO.: 629 COMBO ASSEMBLY							
CO	COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: EDAC INC THESE DRAWINGS AND SPECIFICATIONS SCALE: (IN C.A.D. 1:1) SHEET 1 OF 4 TORONTO, ONTARIO CANADA STHE BASIS FOR THE SCALE: (IN C.A.D. 1:1) SHEET 1 OF 4	COMBINATION D-SUB				DRAWN: C.B			DATE: JAN. 01/2019		
				CHECKED:			DATE:				
	EDAC INC		SCALE:	(IN C.A.D. 1:	1)	SHEET	1	OF	4		
	CANADA	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING	√2240-4N1			ISSUE				
YOUR CONNECTION TO QUA			PART NUM	IBER:	629-27W2	240-4N1			1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male

5W5 Female



PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE

PCB EDGE

11W1 Male/Female

21W4 Male/Female




27W2 Male/Female




21W1 Male/Female



	SW REFERENCE NO.: 629 COMBO ASSE						SEMB	LY		
	COMBINATION D-SUB			DRAWN: C.B			DATE: JAN. 01/2019			19
					CHECKED:			DATE:		
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	N.T.S		SHEET	3	OF	4
		TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 629-27W2			V2240-4N1			ISSUE
YOUR CONNECTION TO	QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NU	MBER:	629-27W2	2240-4N1			1	











CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

COMPLIANT THIS SER THE EUR 2011/65/E




THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male






25W3 Male






24,77

PCB EDGE



36W4 Female



13W6 Male





22.18

2.77

20.78

13W6 Female

13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

43W2 Female




17W5 Male






COMBINATION D-SUB








20.7

13.72


PCB EDGE



31.75

PCB EDGE SW REFERENCE NO. 629 COMBO ASSEMBLY DATE: JAN. 01/2019 DRAWN: C.B CHECKED: DATE: OF 4 SCALE: N.T.S SHEET 4 629-27W2240-4N1 DRAWING NUMBER: ISSUE 1 629-27W2240-4N1 PART NUMBER:

COMPLIANT





THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.