

**Mounting Option** 

08-#4-40 Unified Threaded Inserts

## **Contact Detail**

500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.270(6.86) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing





**See Accompanying Pages for:** 

- **Contact Bend Details**
- **Mounting Options**



.240 [6.10] Point of Contact-



YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO	842 ENG MASTER
DRAWN: J.LEE	DATE: OCT. 06/09
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE

SECTION A-A

842 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ISSUE NUMBE

ORIGINAL

1



842/892 Series High Temp Card Edge Connector Contact Bend Detail		ACAD REFERENCE NO. 842 ENG MASTER			
		DRAWN: .	J.LEE	DATE: <b>OCT. 06/09</b>	
		CHECKED:		DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: NTS		SHEET 2	2 OF 3
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUI	MBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	842 A	Assembly		1

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09  CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S ARE THE PROPERTY OF	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	