

**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA

Telephone: 773.869.1234 www.tripplite.com

## 2-Port Mini DisplayPort to DVI Splitter, TAA

MODEL NUMBER: B155-002-DVI











Converts and splits a Mini DisplayPort video signal for display on two DVI monitors, projectors or televisions at the same time. Ideal for offices, conference rooms, retail settings, trade shows and classrooms.

#### Description

The B155-002-DVI 2-Port Mini DisplayPort to DVI Splitter converts and splits a Mini DisplayPort video signal for display on two DVI-enabled monitors, projectors or televisions at the same time. Ideal for offices, conference rooms, retail settings, trade shows and classrooms, this compact splitter features a built-in Mini DisplayPort cable that connects to the source. It lets you use your existing DVI displays instead of buying new Mini DisplayPort monitors or docking stations.

The B155-002-DVI supports video resolutions up to 1920 x 1080 (1080p) at 60 Hz, as well as HDCP, EDID and DDC. Orange LEDs next to each output port indicate whether the splitter is powered on and transmitting a signal to the connected displays. The splitter works with all operating systems and is small enough to carry in your backpack or computer bag. Plug-and-play convenience means no software or drivers are needed. An included USB Micro-B cable connects between the source and the splitter to provide power, so no external power supply is required.

#### **Features**

### Converts and Splits Mini DisplayPort Signal to 2 DVI Displays Simultaneously

- Ideal for offices, conference rooms, trade shows and classrooms
- Built-in Mini DisplayPort cable connects to source
- Included USB Micro-B cable supplies power to splitter
- Save money on new Mini DisplayPort displays or docking stations

#### **Top-Shelf Performance**

- Supports video resolutions up to 1920 x 1080 (1080p) @ 60 Hz
- Complies with HDCP, EDID and DDC

#### **Highlights**

- Supports video resolutions up to 1920 x 1080 @ 60 Hz
- Included USB Micro-B cable supplies power to unit
- Works with all operating systems
- Compact enough for easy carrying in backpack or laptop bag
- Plug and play—no software or drivers required

#### **Package Includes**

- B155-002-DVI 2-Port Mini
   DisplayPort to DVI Splitter
- USB Micro-B cable, 3 ft.
- Owner's manual



• LEDs indicate whether splitter is powered on and transmitting signal to connected displays

#### Easy to Use Almost Anywhere

- Works with all operating systems
- Plug and play—no software, drivers or external power supply required
- Compact unit fits easily in backpack or computer bag

# **Specifications**

OVEDVIEW		
OVERVIEW		
UPC Code	037332191274	
INPUT		
Bus Powered	Yes	
USER INTERFACE, ALERTS & CONTROLS		
LED Indicators	(x2) Orange (Monitor Signal)	
PHYSICAL		
Color	Black	
Material of Construction	PC	
Rackmountable	No	
Shipping Dimensions (hwd / cm)	4.32 x 20.07 x 14.22	
Shipping Dimensions (hwd / in.)	1.70 x 7.90 x 5.60	
Shipping Weight (kg)	0.27	
Shipping Weight (lbs.)	0.60	
Unit Dimensions (hwd / cm)	2.55 x 7.6 x 6.15	
Unit Dimensions (hwd / in.)	1 x 3 x 2.4	
Unit Packaging Type	Вох	
Unit Weight (kg)	0.07	
Unit Weight (lbs.)	0.154	
ENVIRONMENTAL		
Operating Temperature Range	14 to 167 F (-10 to 75 C)	
Storage Temperature Range	-4 to 176 F (-20 to 80 C)	
Relative Humidity	0% to 85%, Non-Condensing	
BTUs	14 BTU/Hr	





Power Consumption (Watts)	4.1W	
1 ower consumption (watts)		
CONNECTIONS		
Ports	2	
Side A - Connector 1	MINI DISPLAYPORT (MALE)	
Side B - Connector 1	MICRO-USB B (FEMALE)	
Side B - Connector 2	(2) DVI-I DUAL-LINK (FEMALE) (WIRED TO DVI-D SINGLE-LINK)	
Connector Plating	Nickel	
Contact Plating	Gold	
FEATURES & SPECIFICATIONS		
Max Supported Video Resolution	1920 x 1080 (1080p) @ 60 Hz	
Displayport Specification	1.2	
Driver Required	No	
Max Supported Color Depth	24-bit True Color	
EDID Compatible	Yes	
Technology	DVI; DisplayPort	
CERTIFICATIONS		
Certifications	CE, FCC, RoHS, and REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>