ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INCLUSTRIES	mposition De 5. IPC, Bannockb Pan-American co	claration ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration he declaration en	on of the substar acompasses all le	aces within the ower level mat	manufacture terials for wh	er listed item. iich the manu	Note: if facturer	the item is an ast has engineering i	sembly with low responsibility.
	1 IPC Web Site for Information on IPC-1752 Standard Form T			Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				eous Materia	ials and Mfg Information			
upplier Information													
ompany name*	Company unique ID			τ	Unique ID Authority				Response Date*				
nsemi									2023-06-08				
Contact Name Titl			Title - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*			Email - Representative*				
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr I		em Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weig	ght*	UOM	Unit Type
	LC75836	LC75836WS-T-E LCD Displa		ay Driver		2023-06-08 PHM			200.0		mg	Each	
Ianufacturing Proccess Infor	mation												
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Termin		minal Base Alloy J-STD-020 MSL		. Rating	Peak Process Body Temperat		rature Max T	ure Max Time at Peak Tempe		Numbe	er of Reflow Cyc	les
contains Bi		U Alloy 4			260 C		30	30 sec		3			
omments													
or more information regarding mate	rial composition	please refer to	o page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select	the Level (IIG A IIG B	Requester or Supplier) [B	l select the subst	ance category (JIG or Requester) or enter a	value (Supplier) [C] selec	t the substance (II	G) or enter the substa	nce and CAS (Other) [D
select a RoHS exemption, if applie	cable [E] enter the weigh	it of the substance or the P	PM concentration	[F] Optionally enter the positive (+) and ne	egative (-) tolerance in per	cent (Note: percer	it tolerance values are	expected to cover a 3
sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.04	mg	Supplier	Silicon (Si)	7440-21-3		4.015	mg
			Supplier	Polyimide	Proprietary Data		0.025	mg
Die Attach	0.85	mg	Supplier	Silver (Ag)	7440-22-4		0.5783	mg
			Supplier	Epoxy resins	129915-35-1		0.2458	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.0185	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.0073	mg
Lead Frame	67.8	mg	Supplier	Silver (Ag)	7440-22-4		1.078	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1288	mg
			Supplier	Iron (Fe)	7439-89-6		1.7289	mg
			Supplier	Copper (Cu)	7440-50-8		64.7693	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0949	mg
Mold Compound-Black	123.4	mg		Epoxy resin	proprietary data		12.34	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		9.255	mg
			Supplier	Carbon Black (C)	1333-86-4		0.617	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		101.188	mg
Plating	2.77	mg	В	Bismuth (Bi)	7440-69-9		0.0166	mg
			Supplier	Tin (Sn)	7440-31-5		2.7534	mg
Wire Bond - Au	1.14	mg	Supplier	Gold (Au)	7440-57-5		1.14	mg