	Material Compositi Copyright 2005. IPC, B nternational and Pan-Am	annockb	ourn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declar the declaratio	ration of n encomp	the substances passes all low	s within the er level ma	e manufactur tterials for wh	er listed ite hich the m	em. Note: i anufacturei	f the item is an as r has engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
upplier Informati	on														
Company name*			Company unique ID			Unique ID Authority					Response Date*				
nsemi										2023-06-08					
ontact Name	Title - Contact			Phone - Contact*					Email - Contact*						
Product-Env-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Ite	Requester Item Number Mfr Ite		n Number Mfr Item Name				Effective Da	ate Ver	Version Manufacturing		ring Site	Weight		UOM	Unit Type
		NOIL2SM1300A- LU GDC		LUPA1300-2 MONO PGA168		2023-06-08		ТНА		10734.47		mg	Each		
lanufacturing Pro	occess Information						•	·				·			
Terminal Plat	Terminal Plating / Grid Array Material		Terminal Base Alloy J-S		J-STD-020 MS	D-020 MSL Rating		Peak Process Body Temperate		ure Max Time at Peak Tempe		Temperatu	ature Number of Reflow Cycles		cles
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		) (no C	CU Alloy NA		NA		0		С	30		seconds 3			
omments															
or more information r	egarding material com	osition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	8797.93	mg	Supplier	Cobalt (Co)	7440-48-4		36.9513	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		40.4705	mg
			Supplier	Silver (Ag)	7440-22-4		28.1534	mg
			Supplier	Molybdenum (Mo)	7439-98-7		21.115	mg
			Supplier	Tungsten (W)	7440-33-7		354.5566	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		80.941	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		285.0529	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		7363.8667	mg
			В	Nickel (Ni)	7440-02-0		232.2654	mg
			Supplier	Gold (Au)	7440-57-5		14.0767	mg
			Supplier	Iron (Fe)	7439-89-6		17.5959	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		317.6053	mg
			Supplier	Copper (Cu)	7440-50-8		5.2788	mg
Die	149.72	mg	Supplier	Silicon (Si)	7440-21-3		149.72	mg
Die Attach	70.87	mg	Supplier	Silver (Ag)	7440-22-4		53.1525	mg
			Supplier	Epoxy resins	129915-35-1		17.7175	mg
Glass Attach Epoxy	16.28	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		6.805	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		2.4908	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		6.512	mg
			Supplier	Carbon Black (C)	1333-86-4		0.4005	mg
			Supplier	Additive	1760-24-3, 2530- 83-8		0.0716	mg
Glass Lid /Cap	1695.94	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		169.594	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		84.797	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1102.361	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		84.797	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		169.594	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		84.797	mg
Wire Bond - Al	3.73	mg	Supplier	Aluminum (Al)	7429-90-5		3.73	mg