


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


Â	




ORIGINAL


(1)








NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.

PART NUMBER:

628-5W5-222-2T2





5W5 Male

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

1

21W4 Male/Female

SWS Male		owo wale						
÷	47.05 -23.53 -14.49 -14.49 -14.49 -14.49 -95 -95 -95 -95 -95 -95 -95 -9	51.75 22. 		51 8	33.30 500 500 500 500 500 500 500 5		63.50 31.75 11.08 9.70 0.75 0.7	
				11W1	I Male/Female	27W2 Male/Fema	ale	
5W5 Female	47.05 - 14.48 - 14.	8W8 Female		1979 2019			63.50 31.75 62 + + + + + + + + + + + + + + + + + + +	a sum
				17W2	2 Male/Female	21W1 Male/Fem	ale	
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	<i>ι / Φ</i> Α			47.05 23.03 13.05 		47.05 82 23.83 124 90 4 4 4 90 4 4 4 4 4 4 90 2.77	and the second sec
					SW REFERENCE NO.: 628	COMBO ASSEMBLY		
					DRAWN: C.B	DATE: JAN. 01/2019		
					CHECKED:	DATE:		
R	THIS SERIES FULLY CONFORMS TO				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	
			TORONTO, ONTARIO CANADA SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE		DRAWING NUMBER: 628-5W5-222-2T2 ISS			

YOUR CONNECTION TO QUALITY & SERVICE

UROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25

23.53

14.51

7.79

9.70






9W4 Male



25W3 Male



47.02

9W4 Female


김 영

13W3 Female


.XX ±0.13 .XXX ±0.05




36W4 Female





13W3 Male



36W4 Male








13W6 Male




43W2 Male



13W6 Female

17W5 Female




43W2 Female


47W1 Female




17W5 Male



47W1 Male





		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
		CHECKED:	DATE:		
DRMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
RECTIVES IPLIANCY.	CANADA		DRAWING NUMBER: 628	-5W5-222-2T2	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628	-5W5-222-2T2	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.