



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:			
-	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
			DRAWING NUMBER: 628-5W1-	-624-5T5	ISSUE	
			PART NUMBER: 628-5W1-	-624-5T5	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2/2WK2

3W3 / 3WK3


5W1 Male/Female

7W2 Male/Female







21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS SHEET 3 OF 4 SCALE: N.T.S EDAC INC ARE THE PROPERTY OF EDAC INC., AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-5W1-624-5T5 DRAWING NUMBER: ISSUE OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE 628-5W1-624-5T5 PART NUMBER: WITHOUT WRITTEN PERMISSION.

5W5 Male


5W5 Female




23.53


8W8 Male

8W8 Female





11W1 Male/Female



## 17W2 Male/Female

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

CURRENT RATING / ØA



31.76



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male




25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male






20.70 30.50 13.72 16.62 김 의 2.77







13W6 Male



43W2 Male








43W2 Female

47W1 Female





17W5 Male


COMPLIANT














		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019	
				DATE:	
ORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
RECTIVES MPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W1	-624-5T5	ISSUE
VIFLIANCI.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W1	-624-5T5	1

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

17W5 Female

THIS SERIES FULLY CONFOR THE EUROPEAN UNION DIRE 2011/65/EU FOR RoHS COMP