

## Specification Sheet

Part Number: CTAP110M4



Cable Tie Anchor Mount, .20 x.75" Hole Dia, .20" Max Tie Width, PA66, White, 1000/pkg

<b>Article Number</b>	151-00288
<b>Type</b>	CTAP1
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Mount provides a "stand-off" for perpendicular bundles.</li><li>• Secures with a single screw providing quick installation.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton cable tie anchor plates are designed as a "stand-off" mount for perpendicular wire bundles. These mounts offer an elongated mounting hole for easier alignment of wire bundles. The mounts are installed quick and easy by securing a single screw.
<b>Short Description</b>	Cable Tie Anchor Mount, .20 x.75" Hole Dia, .20" Max Tie Width, PA66, White, 1000/pkg

**Global Part Name**

CTAP1-PA66-WH

**Length L (Imperial)**

1.34

**Length L (Metric)**

34.0

**Fixation Method**

Screw Mounting and Rivet

**Width W (Imperial)**

0.5

**Width W (Metric)**

12.7

**Cable Ties**

T18 - T50

**Height H (Imperial)**

.15

**Height H (Metric)**

3.80

**Cable Tie Width Max (Imperial)**

0.2

**Cable Tie Width Max (Metric)**

5.0

**Mounting Hole Diameter D (Imperial)**

0.2 x 0.75

**Mounting Hole Diameter D (Metric)**

5.0 x 19.0 mm

**Mounting Hole Diameter D Max (Metric)**

19.0

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

**Flammability**

UL 94 V2

**Operating Temperature (Metric)**

-40°F to +185°F (-40°C to +85°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Certification/Specification WEB**

UL

**UL Recognized (US)**

Yes

**UL Recognized (US and Canada)**

Yes

**Package Quantity(Imperial)**

1000

**Package Quantity (Metric)**

1000

**Customs Number**

3926909988

**Content Unit(BMEcat)**

pcs.