© Copyright 2	Composition De 2005. IPC, Bannock nd Pan-American c	burn, Illinois. A	ll rights reserved untions.	nder both	This docume level parts, t	ent is a decla he declaratio	ration o on encor	of the substance mpasses all low	es within th wer level m	ne manufactur aterials for w	rer listed it which the m	em. Not anufacti	te: if the i urer has e	tem is an ass engineering r	embly with lowe esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Information															
Company name*			Company unique ID			Unique ID Authority					Response Date*				
onsemi											2023-06-08				
Contact Name	Title - Contact]	Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Representative]	Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester Item Number	ster Item Number Mfr Item		n Number Mfr Item Name			Effective Date Version Manufacturing Sit		uring Site	7	Weight*	· I	UOM	Unit Type		
	NCP105	NCP105AMX345TCG 300 mA CMOS I 3V45 AD		low Dropout Re	egulator	2023-06-08			PHM		1	.424	1	mg	Each
Manufacturing Proccess Info	ormation														
Terminal Plating / Grid Ar	ating / Grid Array Material Terminal Base		Alloy J	J-STD-020 MSL Rating		Peak Process Body		Body Tempera	nperature Max Time at Peak		Temperat	Temperature Numbe		Reflow Cycl	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	y 1			260	260		30		secon	seconds 3			
Comments															
evel 1 - maximum time at peak tem	perature during so	ldering is 10-3	0 seconds												
or more information regarding ma	terial composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.09 mg		Supplier	Silicon (Si)	7440-21-3		0.09	mg	
Die Attach	0.13	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0416	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0884	mg	
Lead Frame	0.58	mg	Supplier	Tin (Sn)	7440-31-5		0.0014	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0013	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0014	mg	
			Supplier	Copper (Cu)	7440-50-8		0.5758	mg	
Mold Compound-Black	0.6	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.048	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.003	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.012	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.519	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.018	mg	
Plating	0.004	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg	
			В	Nickel (Ni)	7440-02-0		0.0035	mg	
			Supplier	Gold (Au)	7440-57-5		0.0004	mg	
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).