
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING



.X ±0.25 .XX ±0.13

.XXX ±0.05


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY			
COME				COMBINATION D-SUB DRAWN: C.B		C.B	DATE: JAN. 01/2019
				DATE:			
EDAC INC TORONTO, ONTARIO CANADA	AC INC THESE DRAWINGS AND ARE THE PROPERTY OF	I JOALL.	(IN C.A.D. 1:1)	SHEET 1 OF	4		
	O, ONTARIO SHALL NOT BE REPROE NADA OR USED AS THE BASIS	DUCED, OR COPIED IS FOR THE DRAWING I	NUMBER: 630-21W4	640-3N4	ISSUE		
YOUR CONNECTION TO QUALITY 8	& SERVICE MANUFACTURE OR SAL WITHOUT WRITTEN PER		IBER: 630-21W4	640-3N4	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

24W7 Male/Female



ISSUE NUMBER

 $\overline{(1)}$

5W5 Male



PCB EDGE


8W8 Male




PCB EDGE




21W4 Male/Female



27W2 Male/Female




21W1 Male/Female




		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4
			DRAWING NUMBER: 630-21W	4640-3N4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-21W	4640-3N4	1

5W5 Female

COMPLIANT




8W8 Female



PCB EDGE

17W2 Male/Female




THIS SERIES FU THE EUROPEAN 2011/65/EU FOR

JLLY CONFORMS TO
N UNION DIRECTIVES
R RoHS COMPLIANCY.

CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



POB EDGE

11W1 Male/Female


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male






25W3 Male






24,77

PCB EDGE



31.75

36W4 Female



13W6 Male








13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

43W2 Female






COMPLIANT




















PCB EDGE

20.7

13.72

22.18

2.77

20.78