



## DC FAN LIFE EXPERIMENT REPORT

Available for these models with lower speed and same physical structure. All model may be followed by Rx or Fxx series suffixes. This test report applies to <b>ASB 17X17X3mm</b> series as the right table	<b>ASB01703HA3-00CAH</b>			
<b>Representative Test P/N :ASB01703HA3-00CFR</b>	(I:4023108100 F:4023108100)			
<b>Equipment: 1.Oven: E24-W520</b>				

◎ **L<sub>10</sub> Expectancy:**      **30,000**    hours minimum @ fan rated voltage and the temperature of 40°C

According to the equation for **Weibull distribution**,      **MTTF = 7×L10 = 210,000 hours**

And we rely on a zero failure Weibull test strategy and accelerated testing technique, to determine the total test time (t) for verifying the above life estimation by the equations,

$$t = 1.036 \times MTTF \times [(B_{r;c}) \div n]^{0.91} \div A_F, \text{ and } A_F = 2^{(T_s - T_u)/10}$$

where, ( $B_{r;c}$ ) is Poisson distribution factor with the failure number of r equal to 0 and the decimal confidence level of c equal to 0.90(90%), and

Stress/Elevated Temperature Ts (°C) ( Actual Test Temperature )	Unstress Temperature Tu (°C)	Acceleration Factor AF	Quantity of Test Devices n (pcs)	Poisson Distribution Factor Br;c	Required test time with zero failure t (hours)	Actual test time with zero failure t (hours)	Verified MTTF 40°C (hours)	Verified L <sub>10</sub> 40 °C (hours)
<b>70</b>	<b>40</b>	<b>8.00</b>	<b>56</b>	<b>2.303</b>	<b>1,490</b>	<b>1,490.0</b>	<b>209,933</b>	<b>29,990</b>

### Test Progress:

Date for Test Beginning	Date for Test Termination (at least)	Current Test Status		Current Total Test Time (hours)
2016/11/10 10:00 AM	2017/1/12 12:28 AM	<input type="checkbox"/> In process	<input type="checkbox"/> In process (exceed requested)	<input checked="" type="checkbox"/> Termination <b>1490.0</b>

Herewith , we could assume as right on the basis of above test result. Besides, if the actual test time exceed the required, it comes out that those fans' L10 expectancy and MTTF are greater than the warrant. ( MTTF : means Mean Time To Failures, it should be used in a non-repairable system setting. Now we show the MTTF in our life report, that's because we will not repair the failed fans during life experiment. MTBF: means Mean Time Between failures, it should be used in a repairable system setting. )

Fan permission criteria for the measurement after test :
1. Speed can not drop of $\geq 15\%$ below the original measured rpm.
2. Current cannot increase $> 15\%$ of original measure current.
3. Noise cannot $> 3\text{dB}$ over the original measure noise.

Temperature for MTTF Estimation (°C)	Acceleration Factor A <sub>F</sub>	Estimated MTTF (hours)	Estimated L <sub>10</sub> (hours)
<b>25</b>	<b>22.63</b>	<b>593,779</b>	<b>84,826</b>
<b>30</b>	<b>16.00</b>	<b>419,865</b>	<b>59,981</b>
<b>40</b>	<b>8.00</b>	<b>209,933</b>	<b>29,990</b>
<b>50</b>	<b>4.00</b>	<b>104,966</b>	<b>14,995</b>
<b>60</b>	<b>2.00</b>	<b>52,483</b>	<b>7,498</b>
<b>70</b>	<b>1.00</b>	<b>26,242</b>	<b>3,749</b>

<b>Test Result</b>	<input checked="" type="checkbox"/> Accept
	<input type="checkbox"/> Reject

QE File No.	Time-out for function test or others (hours)	Issued Date	Reported By	Approved By
<b>WJQEFML-2016251VD</b>	<b>12.00</b>	<b>2017/1/12 12:00 AM</b>	<b>JING.WANG</b>	<b>TAOE.LIANG</b>

BGN(dBA) : 18.0

Temp(°C) : 22.3

P(cmHg) : 76.4



## DC FAN FUNCTION TEST RECORD FOR LIFE EXPERIMENT

Available for these models with lower speed and same physical structure. All model may be followed by Rx or Fxx series suffixes. This test report applies to ASB 17X17X3mm series as the right table				ASB01703HA3-00CAH					
Required Test Time (hrs)	Date for Test Beginning	Date for Test Termination (at least)	Sample Size (pcs):	Failure (pcs):	Current Total Test Time (hrs)				
1,490	2016/11/10 10:00 AM	2017/1/12 12:28 AM	56	0	<b>1490.0</b>				
Representative Test P/N :ASB01703HA3-00CFR				Current Test Status	<input type="checkbox"/> In process	<input type="checkbox"/> In process (exceed requested)	<input checked="" type="checkbox"/> Termination		
Equipment: 1.Oven: E24-W520									
Test Data Between Initial Test and Final Test									
Sample No.	Initial Test	Final Test	Deviation (%)	Initial Test	Final Test	Deviation (%)	Initial Test	Final Test	Deviation
	Current Spec. (mA)	Current Spec. (mA)		Speed Spec. (RPM)	Speed Spec. (RPM)		Noise Spec. (dB A)	Noise Check. (dB A)	
	<b>100MAX.</b>	<b>100MAX.</b>	<b>15% MAX.</b>	<b>12600REF</b>	<b>12600REF</b>	<b>15% MAX.</b>	<b>37.0MAX.</b>	<b>37.0MAX.</b>	<b>3 dB MAX.</b>
1	52	53	1.9	12316	12343	0.2	32.3	32.8	0.5
2	50	51	2.0	12941	13013	0.6	32.4	32.3	-0.1
3	51	52	2.0	12125	12421	2.4	33.3	32.6	-0.7
4	52	51	-1.9	11854	11629	-1.9	33.1	33.1	0.0
5	51	53	3.9	12240	12169	-0.6	33.0	32.6	-0.4
6	51	51	0.0	12324	12304	-0.2	32.3	32.4	0.1
7	52	51	-1.9	12107	11905	-1.7	32.1	31.9	-0.2
8	50	54	8.0	13928	13666	-1.9	32.0	31.9	-0.1
9	51	51	0.0	12788	12763	-0.2	32.2	31.9	-0.3
10	51	51	0.0	12441	12716	2.2	32.4	32.2	-0.2
11	51	53	3.9	12291	12548	2.1	32.2	32.9	0.7
12	52	51	-1.9	11908	12145	2.0	33.2	32.0	-1.2
13	52	52	0.0	12505	12305	-1.6	33.0	32.4	-0.6
14	52	50	-3.8	12107	12136	0.2	32.8	32.7	-0.1
15	51	54	5.9	12412	12575	1.3	32.4	32.4	0.0
16	52	52	0.0	12296	12597	2.4	32.1	32.2	0.1
17	51	53	3.9	11755	11969	1.8	32.0	32.2	0.2
18	52	53	1.9	11434	11646	1.9	32.0	33.0	1.0
19	50	51	2.0	12975	13076	0.8	33.4	32.6	-0.8
20	52	51	-1.9	11329	11603	2.4	31.7	33.2	1.5
21	50	52	4.0	12520	12372	-1.2	32.8	33.1	0.3
22	51	51	0.0	12885	12741	-1.1	32.8	33.2	0.4
23	51	53	3.9	12509	12819	2.5	33.3	33.0	-0.3
24	51	51	0.0	12324	12583	2.1	31.7	33.0	1.3
25	51	52	2.0	12207	12179	-0.2	32.8	32.1	-0.7
26	51	53	3.9	12279	12268	-0.1	33.1	32.6	-0.5
27	52	53	1.9	12231	12572	2.8	33.1	32.2	-0.9
28	53	51	-3.8	11374	11578	1.8	32.3	31.9	-0.4
29	51	52	2.0	12882	12776	-0.8	33.0	32.2	-0.8
30	59	55	-6.8	12328	12581	2.1	31.8	32.7	0.9
31	52	52	0.0	12456	12745	2.3	32.6	33.2	0.6
32	52	53	1.9	12431	12416	-0.1	32.9	32.8	-0.1



## DC FAN FUNCTION TEST RECORD FOR LIFE EXPERIMENT

Available for these models with lower speed and same physical structure. All model may be followed by Rx or Fxx series suffixes. This test report applies to ASB 17X17X3mm series as the right table				ASB01703HA3-00CAH					
Required Test Time (hrs)	Date for Test Beginning	Date for Test Termination (at least)	Sample Size (pcs):	Failure (pcs):	Current Total Test Time (hrs)				
1,490	2016/11/10 10:00 AM	2017/1/12 12:28 AM	56	0	<b>1490.0</b>				
Representative Test P/N :ASB01703HA3-00CFR				Current Test Status	<input type="checkbox"/> In process	<input type="checkbox"/> In process (exceed requested)	<input checked="" type="checkbox"/> Termination		
Equipment: 1.Oven: E24-W520									
Test Data Between Initial Test and Final Test									
Sample No.	Initial Test	Final Test	Deviation (%)	Initial Test	Final Test	Deviation (%)	Initial Test	Final Test	Deviation
	Current Spec. ( mA )	Current Spec. ( mA )		Speed Spec. ( RPM )	Speed Spec. ( RPM )		Noise Spec. ( dB A )	Noise Check. ( dB A )	
	<b>100MAX.</b>	<b>100MAX.</b>	<b>15% MAX.</b>	<b>12600REF</b>	<b>12600REF</b>	<b>15% MAX.</b>	<b>37.0MAX.</b>	<b>37.0MAX.</b>	<b>3 dB MAX.</b>
33	51	52	2.0	12012	11975	-0.3	32.4	32.2	-0.2
34	52	53	1.9	11706	11728	0.2	32.3	31.9	-0.4
35	53	54	1.9	12059	11985	-0.6	32.6	33.2	0.6
36	52	53	1.9	11433	11629	1.7	32.0	32.5	0.5
37	51	51	0.0	12276	12368	0.7	31.7	32.4	0.7
38	52	53	1.9	12232	12156	-0.6	32.2	33.2	1.0
39	50	52	4.0	12387	12278	-0.9	32.5	32.6	0.1
40	51	53	3.9	12352	12625	2.2	32.3	33.0	0.7
41	52	53	1.9	11945	12146	1.7	32.8	32.8	0.0
42	52	51	-1.9	11807	12554	-0.5	32.1	32.4	0.3
43	51	52	2.0	12487	12397	-0.7	32.6	32.3	-0.3
44	50	53	6.0	13366	13379	0.1	31.6	32.8	1.2
45	51	53	3.9	12347	12609	2.1	33.4	33.2	-0.2
46	52	52	0.0	12000	11937	-0.5	32.7	32.1	-0.6
47	52	51	-1.9	12164	12376	1.7	32.3	31.7	-0.6
48	53	51	-3.8	12217	12276	0.5	32.6	32.7	0.1
49	51	52	2.0	12074	12048	-0.2	31.9	32.9	1.0
50	51	52	2.0	12567	12867	2.4	32.1	32.5	0.4
51	51	50	-2.0	12282	12494	1.7	32.0	32.3	0.3
52	52	51	-1.9	12183	12371	1.5	31.8	31.6	-0.2
53	52	52	0.0	11696	11841	1.2	33.4	33.3	-0.1
54	50	51	2.0	12633	12655	0.2	31.7	32.3	0.6
55	51	51	0.0	12615	12597	-0.1	32.5	32.0	-0.5
56	51	53	3.9	13120	13148	0.2	32.2	32.1	-0.1
X-Bar	51.50	52.05	-	12293.96	12385.68	-	32.46	32.52	-
$\sigma$	1.279	1.086	-	472.314	442.105	-	0.502	0.449	-
QE File No.	Time-out for function test or others (hours)			Issued Date		Reported By		Approved By	
WJQEFML-2016251VD		<b>12.00</b>		<b>2017/1/12 12:00 AM</b>		<b>JING.WANG</b>		<b>TAOE.LIANG</b>	