


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)


ORIGINAL











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-3W3	-622-3TA	ISSUE	
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-3W3	-622-3TA	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



NOTES:



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

47.07

47.05

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

PART NUMBER:



		11W1	Male/Female	2
8W8	8 Female		33.30	
23.03 14.48 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		8 19 19 19 19 19 19 19 19 19 19 19 19 19		487
		17W2	2 Male/Female	2
CURRENT RATING / ϕ	Α			
10A / 2.2			47.06	
20A / 3.3 30A / 3.7 40A / 4.2		¥7	2363 1385 	
				SW REFERE
	COI	COMBINATION D-SUB		
				CHECKED:
S FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.
EAN UNION DIRECTIVES		ONTO, ONTARIO CANADA		DRAWING N
FOR RoHS COMPLIANCY.				


YOUR CONNECTION TO QUALITY & SERVICE



THIS SERIES THE EUROPE 2011/65/EU FOR RoHS COMPLIANCY.

		7W2 Male/Female
63.52 75 22.97 →	22.83 	

6.36



OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

277				
REFERENCE NO.: 628 COMBO ASSEMBLY				
AWN: C.B	DATE: JAN. 01/2019			
ECKED:	DATE:			
ALE: N.T.S	SHEET 3 OF 4			
AWING NUMBER: 628-3W3-	622-3TA ISSUE			

628-3W3-622-3TA

1

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male





51.00 30.50 13.72 15.52





13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-3W3	-622-3TA	ISSUE
			PART NUMBER: 628-3W3	-622-3TA	1