



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


				SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATIO	COMBINATION D-SUB		DATE: JAN. 01/2019					
			DATE:					
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4				
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3W3-	-622-7T1	ISSUE				
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-3W3-	1					



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



NOTES:



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)


21W4 Male/Female

628-3W3-622-7T1

JWJ Male							
+ + + + + + + + + + + + + + + + + + +	47.05 23.63 14.42 14.42 0 0 0 0 0 0 0 0 0 0 0 0 0				63.50 31.75 28 - 9.70 + + + + + + + + + + + + + + + + + + +	and a start	
			11W1 Male/Female	27W2 Male/Female	e		
5W5 Female	47.06 23.83 - 14.48 - 14.48 - 90 - 90 - 90 - 90 - 90 - 90 - 90 - 90	8W8 Female	33.30 19.65 9.20 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.54 4.55		63.50 31.75 15.24 +++++++ ++++++++++++++++++++++++++++		
-	-9-95-i i-9-96-i	1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 19666 - 19666 - 19666 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 -	17W2 Male/Female	21W1 Male/Femal	e		
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ ΦΑ			47.05 23.63 90 + + + + + + + + + + + + + + + + + + +	5 ²⁹	
			COMBINATION D-SUB		OMBO ASSEMBLY		
		COMBIN			DATE: JAN. 01/20	019	
					DATE:		
THIS SERIES FULLY CONFORMS TO		ARE THE FROFER IT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4		
	HE EUROPEAN UNION DIRECTIVES 011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-3W3-	-622-7T1	ISSUE	
		YOUR CONNECTION TO QUALITY & SE	RVICE WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-3W3-622-7T1 1			

WITHOUT WRITTEN PERMISSION.

5W5 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의





13W6 Male



43W2 Male





17W5 Female

.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
			DRAWN: C.B		DATE: JAN	I. 01/20)19
			CHECKED: DA		DATE:		
ORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 4	OF	4
IRECTIVES MPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3W3-622		622-7T1		ISSUE
			PART NUMBER: 6	628-3W3-0	622-7T1		1



THIS SERIES FULLY CONFO THE EUROPEAN UNION DIRI 2011/65/EU FOR RoHS COMP