

EA-RING MS/M 20**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

| | |
|------------|---|
| Version | EA (earthing rings), Earthing ring, Miscellaneous, M 20, Brass, nickel-plated |
| Order No. | 1736490000 |
| Type | EA-RING MS/M 20 |
| GTIN (EAN) | 4008190963590 |
| Qty. | 20 pc(s). |

EA-RING MS/M 20

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

Technical data

www.weidmueller.com

2.118 inch

2.118 inch

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Height | 53.8 mm | Height (inches) | 2.118 inch |
| Length | 53.8 mm | Length (inches) | 2.118 inch |
| Net weight | 6.95 g | | |

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Certificate numbers cable gland

Identification Ex e II, II 2 GD, EEx d II

General information

| | | | |
|---------------------------|----------------------|--------------------------|---------|
| Cable glands | M 20 | External thread | M 20 |
| Gap, internal dimension B | 33 mm | Inside diameter D2 | 7 mm |
| Material | Brass, nickel-plated | O.D. | 28.6 mm |
| Thickness | 1.5 mm | Width, outer dimension C | 13 mm |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002317 | ETIM 7.0 | EC002317 |
| ETIM 8.0 | EC002317 | ECLASS 9.0 | 27-14-44-32 |
| ECLASS 9.1 | 27-14-44-90 | ECLASS 10.0 | 27-14-44-32 |
| ECLASS 11.0 | 27-14-44-32 | ECLASS 12.0 | 27-14-08-07 |

Approvals

ROHS Conform

Downloads

| | |
|------------------|--|
| Engineering Data | EPLAN, WSCAD |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

Data sheet

EA-RING MS/M 20

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Drawings

