


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)







NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING


OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:

1000V AC rms


			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
CC	COMBINATION D-SUB			C.B	DATE: JAN. 01/2	2019
			CHECKED:		DATE:	
EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE:	(IN C.A.D. 1:1)	SHEET 1 O	= 4	
		DRAWING NUMBER: 627W9W4		4-322-4NA	ISSUE	
	IALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUM	IBER: 627W9W	4-322-4NA	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



	SW REFERENCE NO.: 627 COMBO ASSEMBLY						
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019				
		CHECKED:	DATE:				
EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4			
		DRAWING NUMBER: 627W9W4	4-322-4NA	ISSUE			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W9W4	4-322-4NA	1			

5W5 Male


5W5 Female




47.05


23.53

8W8 Male






11W1 Male/Female



17W2 Male/Female

23.63 13.85 8.31 9.70 21 21


THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT




CURRENT RATING / ØA

63.50

8W8 Female 31.76





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male











36W4 Female




13W3 Male


3



36W4 Male







13W6 Male



43W2 Male




13W6 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male

COMPLIANT



47W1 Male





22,15 20.7 2.77

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W9W4-322-4NA		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W9W	4-322-4NA	1



