


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




| ISSUE NUMBER | |
|--------------|--|
| ORIGINAL | |

(1)



 \bigcirc

 \bigcirc




NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C



 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact_resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \mbox{Insulator resistance: 5000V AC rms} \\ \mbox{$



| | | | SW REFERENCE NO.: 627 C | OMBO ASSEMBLY | |
|--|--------------------------------------|--|--------------------------|---------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/201 | 19 | |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 627-27W2 | 2224-1TA | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 627-27W2 | 2224-1TA | 1 |



2.60

36


œ

0

10°

 \bigcirc

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



| | SW REFERENCE NO.: 627 | COMBO ASSEMBLY | | |
|--------------------------------------|--|-------------------------|-----------------|---|
| COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 3 OF | 4 |
| EDHG TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 627-27W | 627-27W2224-1TA | |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 627-27W | /2224-1TA | 1 |

5W5 Male

5W5 Female



47.00

23.53

8W8 Male

8W8 Female

31.76

22.83







11W1 Male/Female



17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female


36W4 Female





25W3 Male









.XX ±0.13 .XXX ±0.05

9W4 Female


13W3 Female









13W3 Male



36W4 Male

20.70 30.50 13.72 16.62 김 의 2.77






13W6 Male



43W2 Male










47W1 Female




17W5 Male


COMPLIANT



47W1 Male







| | SW REFERENCE NO.: 627 C | | | | COMBO ASSEMBLY | |
|---|--|--|---------------------------------|------------|----------------|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | |
| | | CHECKED: | DATE: | | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 | |
| | | | DRAWING NUMBER: 627-27W2224-1TA | | ISSUE | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 627-27W | 2224-1TA | 1 | |







