
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






(1)

ORIGINAL





NOTES:

.X ±0.25 .XX ±0.13

.XXX ±0.05


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, TIN PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm

	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-11W1250-3TB		ISSUE	
	IR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-11W	1250-3TB	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMPLIANT





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL

 $\overline{(1)}$



3W3 / 3WK3

5W1 Male/Female




5W5 Male




PCB EDGE

8W8 Male




PCB EDGE





27W2 Male/Female




21W1 Male/Female



	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:		DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
	EDACINC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-11W1250-3TB		ISSUE	
۔ ۲	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-11W	1250-3TB	1	


5W5 Female

COMPLIANT



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


8W8 Female






CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2










PCB EDGE

7W2 Male/Female

11W1 Male/Female

21W4 Male/Female



TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





.X±0.25.XX±0.13.XXX±0.05

9W4 Female



31.75

21.9

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.36

43W2 Female




17W5 Male


COMPLIANT












20.70

13.72

PCB EDGE



PCB EDGE

61.00 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20

	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-11V	/1250-3TB	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-11W	/1250-3TB	1