

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
				DRAWN:	C.B	DATE: JAN. 01/20	19	
				CHECKED:		DATE:		
		EDAC INC TORONTO, ONTARIO CANADA O QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4	
				DRAWING NUMBER: 630-11W1		1640-5TD	ISSUE	
	YOUR CONNECTION TO C			PART NUN	MBER: 630-11W	1640-5TD	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






ISSUE NUMBER

 $\overline{(1)}$

5W5 Male




PCB EDGE

8W8 Male



PCB EDGE




POB EDGE


2.77 PCB EDGE

27W2 Male/Female

21W4 Male/Female




21W1 Male/Female



	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY					
COME				DRAWN: C.B		DATE: JAN. 01/2019		019	
				CHECKED:		DATE:			
EDA	AC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	N.T.S		SHEET	3 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-11W		1640-5TC)	ISSUE		
YOUR CONNECTION TO QUALITY	& SERVICE		PART NUMBER: 630-11W1		1640-5TD		1		

5W5 Female



8W8 Female

CURRENT RATING / ØA


10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2




PCB EDGE

17W2 Male/Female

11W1 Male/Female







TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male





25W3 Male





PCB EDGE

PCB EDGE

31.75

32.00


15.50

2.77

PCB EDGE

24.77

36W4 Female



13W6 Male





22.18

2.77

20.78

20.70

13.72

PCB EDGE

13W6 Female

13W3 Female

 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

43W2 Female





17W5 Male














			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
		CHECKED:	DATE:				
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4		
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-11W	1640-5TD	ISSUE		
COMPLIANT 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630-11W	1640-5TD	1		