

159 Ort Lane Merlin, OR, US 97532 Phone: + 1 541 471 6256 Fax: + 1 541 471 6251 www.linxtechnologies.com

June 17, 2013

To: All customers using the CONSMA008 and CONREVSMA008

Re: Product Change Notice

Dear customer,

Linx Technologies is announcing a change in manufacturing for the CONSMA008 and CONREVSMA008.

The product is mechanically identical to, and offers equivalent electrical performance, as the previous version of the product. The manufacturing change made is the addition of four retention dimples equally spaced around each connector's barrel to enhance insulation retention after connectors are subjected to solder reflow temperatures.

We are committed to working closely with our customers during the transition to address any questions or concerns.

Product Change Notice for CONSMA008 and CONREVSMA008

PCN #: LPCN-130617-5 Publish Date: June 17, 2013

Type of Change

Manufacturing change for CONSMA008 and CONREVSMA008

Products Affected

- CONSMA008
- CONREVSMA008

Description of Change

The addition of retention dimpling to the manufacturing process for the CONSMA008 and CONREVSMA008 has been implemented. The dimpling of the connectors is illustrated in Figure 2 below




Figure 1: CONSMA008 and CONREVSMA008 without insulation retention dimples




Figure 2: CONSMA008 and CONREVSMA008 with insulation retention dimples



159 Ort Lane Merlin, OR, US 97532 Phone: + 1 541 471 6256 Fax: + 1 541 471 6251 www.linxtechnologies.com

Reason for Change

To enhance retention of connector insulation after being subjected to solder reflow temperatures 260° Celsius.

Effect of Change

Form: Addition of retention dimples 90° apart on barrel of connectors

Fit: No change

Function: No change Quality: No change

Anticipated First Ship Date

June 2013

Qualification Data

Qualification plan specifics are not for general release. Please contact Linx directly for additional information or assistance.

Last Time Buy Date

No formal last time buy date is established. Product with the additional retention dimpling will be supplied as existing inventory depletes.