INSPIDING INNOVATIONS

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

Product Change Notification

PCN-IFC-945-2017

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
IFC - Industrial Field Connectivity	BF6	Product Change Notification	Notify Distributors and Field	9/22/2017


The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.


Description for Product Change Notification

An arrow indicator has been added in the threaded region to make it easier to locate the correct position between the splicing body and flange. In addition, the flange for this item has been modified slightly for the benefit of our production, but has no impact on form, fit, or function. There are no changes to any of the electrical or mechanical characteristics.

Stock Status		
Can existing stock still be used?	Yes	
Is mixture of stock acceptable?	No	

Transaction Dates	
Date modification goes into effect from Germany:	1/1/2018
Expected first shipment (from Phoenix Contact) of the modified products(s):	1/1/2018







INSPIRING INNOVATIONS

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

Product Change Notification

Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.

Contact Info:

Dean W Smith dwsmith@phoenixcon.com

Thank you,

Loreen Katz

Product Marketing Manager ICT Field

neen E Kat



INSPIRING INNOVATIONS

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

Product Change Notification

Part #	Type Description
1642140	Q 0,75/4IDC/18-18KU-KU BK