



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W5-224-5T3		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W5	-224-5T3	1	




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)


21W4 Male/Female

628-5W5-224-5T3

5W5 Male		8W8 Male				
↓ ↓			33.30 5.665 1.509 1.59 50 50 50 50 50 50 50 50 50 50		83.50 31.75 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
			11W1 Male/Female	27W2 Male/Female	2	
5W5 Female	47.05 23.53 14.48	8W8 Female 53.50 53.50 72.43	33.30 19.85 9.72		83.50 31.75 15.24 + + + + + + + + + + + + + + + + + + +	and a second
-	ļ <sub>*</sub> 838 <sub>≈</sub> ļ ļ <u>*</u> 886Ļ	<u>6.36</u>     <sub>-</sub> 7.64_	17W2 Male/Female	21W1 Male/Female	õ	
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ ΦΑ	47.00 23.05 13.00 -0.51 -27.0 -0.51 -27.0 -0.51 -27.0 -0.51 -2.77 -0.51 -0		47.05 23.05 90 + + + + + + + + + + + + + + + + + + +	SP .
					OMBO ASSEMBLY	
	30A / 3.7 40A / 4.2 COMBINATION D-SUB					
	CHECKED: DATE:					
	HIS SERIES FULLY CONFORMS TO		ARE THE FROFER IT OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF	4
	THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-5W5-	224-5T3	ISSUE
		YOUR CONNECTION TO QUALITY & SE	RVICE WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-5W5-	224-5T3	1

WITHOUT WRITTEN PERMISSION.

5W5 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 1 82 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-5W5	-224-5T3	ISSUE
			PART NUMBER: 628-5W5	-224-5T3	1