


ITEM	MOLEX P/N	DESCRIPTION	QTY	UOM
A,B	511630700	2.5 W/B REC HSG	2	PC
C	511640705	2.5 W/B RETAINER	2	PC
D	507528200	Mini-Lock 2.5 W/B Crimp Rec Term 20-22AWG	14	PC
E	884260070	PAPER PRINTED PAPER WHITE (S100X150YAJ)	1	PC

FROM	TO	CABLE DESCRIPTION	COLOR
A1	B7	20 AWG UL1061 BLACK DISCRETE WIRE	BLACK
A2	B6		
A3	B5		
A4	B4		
A5	B3		
A6	B2		
A7	B1		



PART NUMBER	L1	L2	TITLE
151370700	50±5	13REF	Mini-Lock 7 Circuit 50MM
151370701	100±8	38REF	Mini-Lock 7 Circuit 100MM
151370702	150±10	63REF	Mini-Lock 7 Circuit 150MM
151370703	300±10	138REF	Mini-Lock 7 Circuit 300MM
151370705	450±15	213REF	Mini-Lock 7 Circuit 450MM
151370706	600±15	288REF	Mini-Lock 7 Circuit 600MM

- NOTES**
1. Cable assembly to be tested 100% for continuity and polarity.
 2. Label text must be 2mm max. In height with Arial font.
 3. Connector view shown is from mating side.

P/N:15137XXXX — MOLEX PN
 MOLEX
 BATCH WK/YR

DETAIL A

DATE	REV	DESCRIPTION	REVISED BY
2018.05.29	A	INITIAL RELEASE	SSHIVASHANKA
2018.11.14	B	CABLE SIZE CHANGED FROM 22AWG TO 20AWG	SSHIVASHANKA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS	DIMENSION UNITS	SCALE	CURRENT REV DESC:	molex
▽ = 0	mm	NTS	EC NO: 608031	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: SSHIVASHANKA 2018/11/14	SEE TABLE
▽ = 0	ANGULAR TOL ± °		CHK'D: MNARAYAN01 2018/11/22	
▽ = 0	4 PLACES ±		APPR: MNARAYAN01 2018/11/22	PRODUCT CUSTOMER DRAWING
▽ = 0	3 PLACES ±		INITIAL REVISION:	DOCUMENT NUMBER
▽ = 0	2 PLACES ±		DRWN: SSHIVASHANKA 2018/05/29	151370700
▽ = 0	1 PLACE ±		APPR: MNARAYAN01 2018/06/05	DOC TYPE
▽ = 0	0 PLACES ±		THIRD ANGLE PROJECTION	PSD
□ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING	DOC PART
▽ = 0			SERIES	REVISION
			A3-SIZE	000
			15137	B
			MATERIAL NUMBER	SHEET NUMBER
			SEE TABLE	1 OF 1
			CUSTOMER	
			GENERAL MARKET	