

NOTES:

.X ±0.25

±0.13 .XXX ±0.05

.XX

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:

SW REFERENCE NO .: 627 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: (IN C.A.D. 1:1) SHEET 1 EDAC INC ARE THE PROPERTY OF EDAC INC., AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 627W2WK2322-3N2 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 627W2WK2322-3N2 WITHOUT WRITTEN PERMISSION.






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

5.30

5W1 Male/Female

7W2 Male/Female





(1)

1

627W2WK2322-3N2

21W4 Male/Female

	8W8 Male	/ W2 Walch email			
47.05 23.53 14.49 14.49 47.05 14.49 14.49 47.05 47		33.30 5680 15.65 1.320 900 900 900 900 900 900 900 9		31.75 31.75 31.75 → → → → → → → → → → → → → → → → → → →	
		11W1 Male/Female	27W2 Male/Femal	e	
47.05 47.05 47.05 47.05 47.05 48.25 40.42 CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	8W8 Female $ \begin{array}{c} $	17W2 Male/Female	21W1 Male/Femal	-	
	COMBINA	COMBINATION D-SUB		DATE: JAN. 01/2019	
THESE DRAWINGS AND SPECIFICATION			CHECKED: DATE: SCALE: N.T.S SHEET 3 OF 4		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES	EDAC INC TORONTO, ON CANADA	C ARE THE PROPERTY OF EDAC INC.,AND ITARIO SHALL NOT BE REPRODUCED,OR COPIED		SHEET 3 OF /K2322-3N2	4 ISSUE

2011/65/EU FOR RoHS COMPLIANCY.

			DIVANIN.	0.0
			CHECKE	D:
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	N.T.S
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING	3 NUMBI
YOUR CONNECTION TO QUALITY & SERVICE		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male



47.00


23.53



47.02 23.53 14,51 9.70 1 82 7.79 김 영



36W4 Female




13W3 Male

3

3










13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77









	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20)19	
				CHECKED:	DATE:	
LLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N.T.S	SHEET 4 OF	4
UNION DIRECTIVES RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W2WK2322-3N2		ISSUE	
			PART NUMBER: 627W2	WK2322-3N2	1	







THIS SERIES FULL THE EUROPEAN U 2011/65/EU FOR Ro